## Porphyrins

- 255. <u>T.C. Bruice; P.G. Furter; and S.S. Ball</u>. Reaction of Primary Amines with the Dichlorocarbene Complex of Iron(II) Tetraphenylporphyrin [Fe(II)TPP(CCl2)]. *J. Am. Chem. Soc.* **1981**, *103*, 4578.
- 256. <u>P. Shannon and T.C. Bruice</u>. A Novel P-450 Model System for the N-Dealkylation Reaction. *J. Am. Chem. Soc.* **1981**, *103*, 4580.
- 269. <u>M.W. Nee and T.C. Bruice</u>. Use of the N-Oxide of of p-Cyano-N,N- dimethylaniline as an "Oxygen" Donor in a Cytochrome P-450 Model System. *J. Am. Chem. Soc.* **1982**, *104*, 6123.
- 283. J.R. Lindsay Smith; M.W. Nee; J.B. Noar and T.C. Bruice, Oxidation of N-Nitrosodibenzylamine and Related Compounds by Metallo-porphyrin-catalyzed Model Systems for the Cytochrome P-450 Dependent Mono-oxygenases. J. Chem. Soc. Perkin Trans II 1984, 2, 255-60.
- 286. D.C. Heimbrok; R.I. Murray; K.D. Egeberg; S.G. Sligar; M.W. Nee and T.C. Bruice. Demethylation of N,N-Dimethylaniline and p- Cyano-N,N-dimethylaniline and Their N-Oxides by Cytochromes P450LM2 and P450CAM. J. Am. Chem. Soc. 1984, 106, 1514.
- 289. <u>M.F. Powell; E.F. Pai and T.C. Bruice</u>. Study of (Tetraphenyl-porphinate)manganese(III)-Catalyzed Epoxidation and Demethylation Using p-Cyano-N,N-Dimethylaniline N-Oxide as Oxygen Donor in a Homogeneous System. Kinetics, Radiochemical Ligation Studies, and Reaction Mechanism for a Model of Cytochrome P-450. *J. Am. Chem. Soc.* **1984**, *106*, 3277.
- 298. <u>L.-C. Yuan and T. C. Bruice</u>. Mechanism of "Oxygen Atom" Transfer to (Tetraphenylporphinato)chromic Chloride. *J. Am. Chem. Soc.* **1985**, *107*, 512.
- 299. <u>W.A. Lee and T.C. Bruice</u>. Homolytic and Heterolytic Oxygen-Oxygen Bond Scissions Accompanying Oxygen Transfer to Iron(III) Porphyrins by Percarboxylic Acids and Hydroperoxides. A Mechanistic Criterion for Peroxidase and Cytochrome P-450. *J. Am. Chem Soc.* **1985**, *107*, 513.
- 302. <u>L.-C. Yuan and T.C. Bruice</u>. Oxygen Donation to Manganese(III) Tetraphenylporphyrin Chloride. Low Reactivity of Hydroperoxides as Oxygen Donors to Manganese(III) Porphyrins. *Inorg. Chem.* **1985**, *24*, 986.
- 304. <u>W.A. Lee; T.S. Calderwood; and T.C. Bruice</u>. Stabilization of higher valent states of iron porphyrin by hydroxide and methoxide ligands: Electrochemical generation of iron(IV)-oxo porphyrins. *Proc. Natl. Acad. Sci. (USA)* **1985**, *82*, 4301.
- 306. <u>L.-C. Yuan and T.C. Bruice</u>. Use of an Oxaziridine as an Oxene Transfer Agent to Manganese(III) Tetraphenylporphyrin Chloride. *J. Chem. Soc., Chem. Comm.* 1985, *13*, 868-9.
- 307. <u>C.M. Dicken; F.-L. Lu; M.W. Nee and T.C. Bruice</u>. Kinetics and Mechanisms of Oxygen Transfer in the Reaction of p-Cyano-N,N-Dimethylaniline N-Oxide with Metalloporphyrin Salts. 2. Amine Oxidation and Oxygen Transfer to Hydrocarbon

Substrates Accompanying the Reaction of p-Cyano-N,N-dimethylaniline N-Oxide with meso-(Tetraphenylporphinato) iron(III) Chloride. J. Am. Chem. Soc. **1985**, 107, 5776.

- 310. <u>T.S. Calderwood; William A. Lee and T.C. Bruice</u>. Spectral and Electrochemical Identification of Iron(IV)-Oxo Porphyrin and Iron(IV)-Oxo Porphyrin [pi]-Cation Species. *J. Am. Chem. Soc.* **1985**, *107*, 8272.
- 311. <u>L.-C. Yuan; T.S. Calderwood and T.C. Bruice</u>. Photocatalysis of Oxygen Transfer from p-Cyano-N,N-dimethylaniline N-Oxide to meso-(Tetraphenylporphinato)chromium(III) Chloride. *J. Am. Chem. Soc.* **1985**, *107*, 8273.
- 312. <u>W.A. Lee and T.C. Bruice</u>. Transfer of Oxygen from Percarboxylic Acids and Alkyl Hydroperoxides to (meso- Tetraphenylporphinato)cobalt(III) Chloride. *Inorg. Chem.* **1986**, *25*, 131.
- 314. <u>C.M. Dicken; T.C. Woon and T.C. Bruice</u>. Kinetics and Mechanisms of Oxygen Transfer in the Reaction of p-Cyano- N,N-dimethylaniline N-Oxide with Metalloporphyrin Salts. 3. Catalysis by [meso-Tetrakis(2,6dichlorophenyl)porphinato] iron(III) Chloride. *J. Am. Chem. Soc.* **1986**, *108*, 1636.
- 315. <u>L.-C. Yuan and T.C. Bruice</u>. Influence of Nitrogen Base Ligation and Hydrogen Bonding on the Rate Constants for Oxygen Transfer from Percarboxylic Acids and Alkyl Hydroperoxides to (meso-Tetraphenylporphinato) manganese(III) Chloride. *J. Am. Chem. Soc.* **1986**, *108*, 1643.
- 316. <u>T.C. Bruice</u>; <u>M.F. Zipplies and W.A. Lee</u>. The pH dependence of the mechanism of reaction of hydrogen peroxide with a non- aggregating, non-μ-oxo dimer-forming iron(III) porphyrin in water. *Proc. Natl. Acad. Sci. (USA)* **1986**, *83*, 4646.
- 319. <u>T.C. Bruice</u>. Chemical Studies Pertaining to the Chemistry of Cytochrome P-450 and the Peroxidases. *New York Acad. Sci. (USA)* **1986**, *471*, 83.
- 320. <u>M.F. Zipplies; W.A. Lee; and T.C. Bruice</u>. Influence of Hydrogen Ion Activity and General Acid-Base Catalysis on the Rate of Decomposition of Hydrogen Peroxide by a Novel Non- aggregating Water-Soluble Iron(III) Tetraphenylporphyrin Derivative. *J. Am. Chem. Soc.* **1986**, *108*, 4433.
- 321. <u>P.N. Balasubramanian and T.C. Bruice</u>. Oxygen Transfer Involving Non-Heme Iron. The Reaction of (EDTA)FeIII with m-Chloroperbenzoic Acid. J. Am. Chem. Soc. 1986, 108, 5495.
- 322. <u>E.S. Schmidt; T.S. Calderwood and T.C. Bruice</u>. Synthesis and Characterization of a meso-Tetrakis(4-ferrocenylphenyl) porphyrin and Examination of its Ability to Undergo Intramolecular Photocatalyzed Electron Transfer. *Inorg. Chem.* **1986**, *25*, 3718,
- 323. <u>E.S. Schmidt; T.C. Bruice; R.S. Brown and C.L. Wilkins</u>. Oxidation of (Tetraphenylporphyrin)chromium(III) Chloride by Styrene Ozonide. *Inorg. Chem.* 1986, 25, 4799.

- 324. <u>T.S. Calderwood and T.C. Bruice</u>. Electrochemical Generation of Iron(IV)-Oxo Porphyrins and Iron(IV)-Oxo Porphyrin [pi] Cation Radicals. *Inorg. Chem.* **1986**, *25*, 3722.
- 325. <u>T.C. Woon; A. Shirazi; and T.C. Bruice</u>. 1H NMR Investigation of Iron(III) 5,10,15,20-Tetrakis(2,6-disubstituted phenyl) porphyrins. Isolation and Characterization of Hydroxy-Ligated (5,10,15,20-Tetrakis(2,6difluorophenyl)porphinato)iron(III). *Inorg. Chem.* **1986**, *25*, 3845.
- 326. <u>T.C. Woon; C.M. Dicken; and T.C. Bruice</u>. The Kinetics and Mechanisms of Oxygen Transfer in the Reaction of p-Cyano-N,N-Dimethylaniline-N-Oxide with Metalloporphyrin Salts. IV. Catalysis by meso-Tetrakis-(2,6dimethylphenyl)porphinato Iron(III) Chloride. J. Am. Chem. Soc. **1986**, 108, 7990.
- 327. <u>C.M. Dicken; F.-L. Lu and T.C. Bruice</u>. Metalloporphyrin- Mediated Radical Cycloadditions of p-Cyano-N,N-Dimethylaniline. *Tetrahedron Letts*. **1986**, *27*, 5967.
- 328. <u>P.N. Balasubramanian; A. Sinha and T.C. Bruice</u>. A Kinetic Study of the Epoxidation of 2,3-Dimethyl-2-butene by tert-Butyl Hydroperoxide Catalyzed by Imidazole Ligated (meso-Tetraphenylporphinato)manganese(III). *J. Am. Chem. Soc.* **1987**, *109*, 1456.
- 330. <u>P.N. Balasubramanian and T.C. Bruice</u>. Oxygen transfer involving nonheme iron: The influence of leaving group ability on the rate constant for oxygen transfer to (EDTA)Fe(III) from percarboxylic acids and hydroperoxides. *Proc. Natl. Acad. Sci.* (USA) **1987**, *84*, 1734.
- 331. <u>W.-H. Wong; D. Ostovic and T.C. Bruice</u>. Kinetics and Mechanisms of Oxygen Transfer in the Reaction of p-Cyano-N,N-dimethylaniline N-Oxide with Metalloporphyrin Salts. 5. The Influence of Imidazole Ligation of (meso-Tetrakis(2,6- dimethylphenyl)porphinato)manganese(III) Chloride on the Rates of Oxygen Transfer from N-Oxide to Metalloporphyrin Salt and the Efficiency of Oxidations by the Intermediate Higher Valent Manganese-Oxo Species. *J. Am. Chem Soc.* 1987, *109*, 3428.
- 332. <u>T.C. Bruice; C.M. Dicken; P.N. Balasubramanian; T.C. Woon and F.-L Lu</u>. Kinetics and Mechanism of Oxygen Transfer in the Reaction of p-Cyano-N,N-dimethylaniline N-Oxide with Metalloporphyrin Salts. 6. Oxygen Atom Transfer to and from the Iron(III) C2cap Porphyrin of Baldwin. *J. Am. Chem. Soc.* **1987**, *109*, 3436.
- 333. <u>D. Ostovic; C.B. Knobler and T.C. Bruice</u>. Kinetics and Mechanism of Oxygen Transfer in the Reaction of p-Cyano-N,N-dimethylaniline N-oxide with Metalloporphyrin Salts. 7. Oxygen Atom Transfer to and from (meso-Tetrakis (pentafluorophenyl)porphinato)iron(III) Chloride. *J. Am. Chem. Soc.* **1987**, *109*, 3444.
- 335. <u>P.N. Balasubramanian; E.S. Schmidt and T.C. Bruice</u>. Catalase Modeling. 2. Dynamics of a Water-Soluble and Non μ-Oxo Dimer Forming Manganese(III) Porphyrin with Hydrogen Peroxide. *J. Am. Chem. Soc.* **1987**, *109*, 7865.

- 337. <u>T.C. Bruice</u>. Porphyrin Iron(III) Mixed Function Oxidases: An Evolutionary Endpoint for Transition Metal(III) Reactions with Oxygen Donors. *Cold Spring Harbor Symposia Quant. Biol.* **1987**, *52*, 567.
- 338. <u>C.M. Dicken; P.N. Balasubramanian and T.C. Bruice</u>. Oxygen Transfer from p-Cyano-N,N-dimethylaniline N-oxide to the μ-Oxo Dimer of (meso-Tetraphenylporphinato)iron(III). *Inorg. Chem.* **1988**, *27*, 197.
- 339. <u>A. Castellino and T.C. Bruice</u>. Intermediates in the Epoxidation of Alkenes by Cytochrome P-450 Models. 1. cis-Stilbene as a Mechanistic Probe. *J. Am. Chem. Soc.* **1988**, *110*, 158.
- 340. <u>R.W. Lee; P.C. Nakagaki; P.N. Balasubramanian; and T.C. Bruice</u>. Observations and comments on the mechanism of epoxidation of alkenes by manganese(III) porphyrins with hypochlorite. *Proc. Natl. Acad. Sci. (USA)* **1988**, *85*, 641.
- 341. <u>A.J. Castellino and T.C. Bruice</u>. Radical Intermediates in the Epoxidation of Alkenes by Cytochrome P-450 Model Systems. The Design of a Hypersensitive Radical Probe. *J. Am. Chem. Soc.* **1988**, *110*, 1313.
- 342. <u>W.A. Lee; L.-C. Yuan and T.C. Bruice</u>. Oxygen Transfer from Percarboxylic Acids and Alkyl Hydroperoxides to (meso- Tetraphenylporphinato)iron(III) and chromium(III). *J. Am. Chem. Soc.* **1988**, *110*, 4277.
- 344. <u>P.C. Nakagaki; T.S. Calderwood; and T.C. Bruice</u>. Relevance of the reaction of a manganese(III) chelate with hydroxyl ion to photosynthesis: Reaction of hydroxide ion with 5,10,15,20- tetrakis(2,4,6-trimethylphenyl)porphinato-manganese(III) in ligating and non-ligating solvents. *Proc. Natl. Acad. Sci. (USA)* **1988**, *85*, 5424.
- 345. <u>D. Ostovic and T.C. Bruice</u>. Transition-State Geometry in Epoxidation by Iron-Oxo Porphyrin at the Compound I Oxidation Level. Epoxidation of Alkenes Catalyzed by a Sterically Hindered (meso-Tetrakis(2,6-dibromophenyl) porphinato)iron(III) Chloride. *J. Am. Chem. Soc.* **1988**, *110*, 6906.
- 346. <u>Bruice, Thomas C.</u>. Formation and reactions of hypervalent metallo-oxo porphyrins. Chemical studies related to peroxidase, catalase, and P-450 enzymes. *Proceedings of the Robert A. Welch Foundation Conference on Chemical Research* **1987**, *31*, 36-70.
- 347. J.R. Lindsay Smith; P.N. Balasubramanian; and T.C. Bruice. The Dynamics of Reaction of a Water-Soluble and Non μ-oxo Dimer Forming Iron(III) Porphyrin with tert-Butyl Hydroperoxide in Aqueous Solution. 1. Studies Using a Trap for Immediate Oxidation Products. J. Am. Chem. Soc. **1988**, 110, 7411.
- 348. <u>A.J. Castellino and T.C. Bruice</u>. Intermediates in the Epoxidation of Alkenes by Cytochrome P-450 Models. 2. Use of the trans- 2,trans-3-Diphenylcyclopropyl Substitutent in a Search for Radical Intermediates. *J. Am. Chem. Soc.* **1988**, *110*, 7512.
- 349. <u>T.C. Bruice; P.N. Balasubramanian; R.W. Lee; and J.R. Lindsay Smith</u>. The Mechanism of Hydroperoxide O-O Bond Scission on Reaction of Hydroperoxides with Iron(III) Porphyrins. *J. Am. Chem. Soc.* **1988**, *110*, 7890.

- 350. <u>T.C. Bruice</u>. The Mechanisms of Oxygen Transfer From Acyl and Alkyl Hydroperoxides to Metal(III) Porphyrins and the Epoxidation of Alkenes by the Resultant Hypervalent Metal-Oxo Porphyrin Products. *Aldrichimica Acta* 1988, 21, 87.
- 351. <u>Bruice, Thomas C.</u> Chemical studies and the mechanism of flavin mixed function oxidase enzymes. *Molecular Structure and Energetics* **1988**, *9(Mech. Princ. Enzyme Act.)*, 315-52.
- 352. <u>Bruice, Thomas C.</u>. Chemical studies related to iron protoporphyrin-IX mixedfunction oxidases. *Molecular Structure and Energetics* **1988**, *9(Mech. Princ. Enzyme Act.*), 227-77.
- 353. J.M. Garrison and T. C. Bruice. Intermediates in the Epoxidation of Alkenes by Cytochrome P-450 Models. 3. Mechanism of Oxygen Transfer from Substituted Oxochromium(V) Porphyrins to Olefinic Substrates. J. Am. Chem. Soc. 1989, 111, 191.
- 355. <u>R.W. Lee; P.C. Nakagaki; and T.C. Bruice</u>. The Kinetics for the Reaction of Hypochlorite with a Manganese(III) Porphyrin and Subsequent Epoxidation of Alkenes in a Homogeneous Solution. *J. Am. Chem. Soc.* **1989**, *111*, 1368.
- 356. <u>P.N. Balasubramanian; J.R. Lindsay Smith; M.J. Davies; T.W. Kaaret and T.C. Bruice</u>. Dynamics of Reaction of (meso-Tetrakis(2,6-dimethyl-3-sulfonatophenyl)porphinato)-iron(III) Hydrate with tert-Butyl Hydroperoxide in Aqueous Solution. 2 Establishment of a Mechanism That Involves Homolytic O-O Bond Breaking and One-Electron Oxidation of the Iron(III) Porphyrin. *J. Am. Chem. Soc.* **1989**, *111*, 1477.
- 358. J.M. Garrison; D. Ostovic; and T.C. Bruice. Is a Linear Relationship between the Free-Energies of Activation and One- Electron Oxidation Potential Evidence for One-Electron Transfer Being Rate Determining? Intermediates in the Epoxidation of Alkenes by Cytochrome P-450 Models. 4. Epoxidation of a Series of Alkenes by Oxo(meso-tetrakis-(2,6-dibromophenyl)- porphinato)-chromium (V). J. Am. Chem. Soc. 1989, 111, 4960.
- 359. <u>D. Ostovic and T.C. Bruice</u>. Intermediates in the Epoxidation of Alkenes by Cytochrome P-450 Models. 5. Epoxidation of Alkenes Catalyzed by Sterically Hindered (meso-Tetrakis(2,6- dibromophenyl)porphinato)iron(III) Chloride. *J. Am. Chem. Soc.* **1989**, *111*, 6511.
- 361. <u>P.N. Balasubramanian; R.W. Lee and T.C. Bruice</u>. Reaction of (meso-Tetrakis(2,6-demethyl-3-sulfonatophenyl)porphinato- iron(III) Hydrate with Various Acyl and Alkyl Hydroperoxides Aqueous Solution. *J. Am. Chem. Soc.* **1989**, *111*, 8714.
- 364. <u>R.D. Arasasingham and T.C. Bruice</u>. Reaction of Hydroxide Ion with Manganese(III) Tetramesitylporphyrin and the Oxidation States of Manganese Tetramesitylporphyrins. *Inorg. Chem.* **1990**, *29*, 1422.
- 365. J.M. Garrison; R.W. Lee and T.C. Bruice. Epoxidation of Alkenes by Oxo(5,10,15,20-tetrakis(2,6-dimethyl-3- sulphonatophenyl)porphinato)chromium(V) in Aqueous Solution. *Inorg. Chem.* **1990**, *29*, 2019.

- 367. <u>R. Panicucci and T. C. Bruice</u>. Dynamics of the Reaction of Hydrogen Peroxide with a Water Soluble Non μ-Oxo Dimer Forming Iron(III) Tetraphenylporphyrin. 2. The Reaction of Hydrogen Peroxide with 5,10,15,20-Tetrakis(2,6-dichloro-3-sulfonatophenyl)-porphinatoiron(III) in Aqueous Solution. *J. Am. Chem. Soc.* **1990**, *112*, 6063.
- 368. <u>K. Murata; R. Panicucci; E. Gopinath and T.C. Bruice</u>. The Reaction of 5,10,15,20-Tetrakis(2,6-dichloro-sulfonatophenyl) porphinato-iron(III) Hydrate with Alkyl and Acyl Hydroperoxides. The Dynamics of Reaction of Water-Soluble and Non μ-Oxo Dimer Forming Iron(III) Prophyrins in Aqueous Solution. 7. J. Am. Chem. Soc. 1990, 112, 6072.
- 369. <u>C.-H. Lee; B. Garcia; and T.C. Bruice</u>. First Synthesis of a Pendant-Capped Porphyrin. A Biphenyl Pendant Capped Porphyrin Model of Catalase. *J. Am. Chem. Soc.* **1990**, *112*, 6434.
- 371. <u>G.-X. He and T.C. Bruice</u>. Nature of the Epoxidizing Species Generated by Reaction of Alkyl Hydroperoxides with Iron(III) Porphyrins. Oxidation of cis-Stilbene and (Z)-1,2-Bis(trans- 2,trans-3-diphenylcyclopropyl)ethene by t-BuOOH in the presence of [meso-Tetrakis(2,4,6-trimethylphenyl)porphinato]- [meso-Tetrakis(2,6dichlorophenyl)porphinato]-, and [meso- Tetrakis(2,6-dibromophenyl)porphinato]iron(III) Chloride. J. Am. Chem. Soc. **1991**, 113, 2747.
- 372. <u>B.C. Bookser and T.C. Bruice</u>. Synthesis of Quadruply Two- and Three-Atom, Aza-Bridged, Cofacial Bis(5,10,15,20- Tetraphenylporphyrins). *J. Am. Chem. Soc.* **1991**, *113*, 4208.
- 374. <u>R. Karaman and T. C. Bruice</u>. Synthesis and Characterization of the First Water-Soluble Closely Interspaced Cofacial Porphyrin Dimer. *J. Org. Chem.* 1991, 56, 3470.
- 375. <u>T.W. Kaaret; G. Zhang and T.C. Bruice</u>. Electrochemistry and the Dependence of Potentials on pH of Iron and Manganese Tetraphenylporphyrins in Aqueous Solution. *J. Am. Chem. Soc.* **1991**, *113*, 4652.
- 376. <u>E. Gopinath and T.C. Bruice</u>. Dynamics of Reaction of [5,10,15,20-Tetrakis(2,6-dimethyl-3-sulfonatophenyl)- porphinato]iron(III) Hydrate with t-BuOOH in Aqueous Solution. 3. Comparison of Refined Kinetic Parameters and D2O Solvent Isotope Effects to Those for [5,10,15,20-Tetrakis(2,6-dichloro-3-sulfonatophenyl)-porphinato]iron(III) Hydrate and Iron(III) Hydrate. *J. Am. Chem. Soc.* **1991**, *113*, 4657.
- 377. <u>G.-X. He; H.-Y. Mei and T.C. Bruice</u>. Evaluation of the Selectivity of the Epoxidation of cis- versus trans-Alkenes by Oxo[meso-tetrakis(2,6dibromophenyl)porphinato] chromium(V). Dynamics, Products and Van der Waals Energies. J. Am. Chem. Soc. **1991**, 113, 5644.
- 378. <u>E. Gopinath and T.C. Bruice</u>. Dynamics of Reaction of [meso- Tetrakis(2,6-dimethyl-3-sulfonatophenyl)porphinato]-iron(III) Hydrate with Various Alkyl Hydroperoxides in Aqueous Solution. 4. Comparison of Kinetic Parameters and D2O Solvent Isotope Effects. *J. Am. Chem. Soc.* **1991**, *113*, 6090.

- 379. <u>R.D. Arasasingham and T.C. Bruice</u>. The Dynamics of the Reactions of Methyl Diphenylhydroperoxyacetate with [meso- Tetrakis(2,6-dimethyl-3-sulfonatophenyl)porphinato]- manganese(III) Hydrate and [meso-Tetrakis(2,6-dichloro-3-sulfonatophenyl)porphinato]-manganese(III) Hydrate and Imidazole Complexes. Comparison of the Reactions of Manganese(III) and Iron(III) Porphyrins. *J. Am. Chem. Soc.* **1991**, *113*, 6095.
- 380. <u>T.C. Bruice</u>. Reactions of Hydroperoxides with Metallo-tetraphenylporphyrins in Aqueous Solution. *Acc. Chem. Res.* **1991**, *24*, 243.
- 381. <u>B. Garcia; C.-H. Lee; A. Blaskó and T.C. Bruice</u>. Pendant-Capped Porphyrins. 1. The Synthesis of a Biphenyl Pendant-Capped Iron(III) Porphyrin Model of Catalase. *J. Am. Chem. Soc.* **1991**, *113*, 8118.
- 382. <u>S. Jeon and T.C. Bruice</u>. Electrochemical Potentials, and Associated pKa Values for Various Oxidation States of a Water- Soluble, Non μ-Oxo Dimer Forming Chromium Tetraphenylporphyrin in Aqueous Solution. *Inorg. Chem.* **1991**, *30*, 4311.
- 383. <u>W.F.K. Schnatter; Ö. Almarsson and T.C. Bruice</u>. The Synthesis of a Porphyrin with a Hydrocarbon Encapsulated Face. *Tetrahedron* **1991**, *47*, 8687.
- 384. <u>G.-X. He; R.D. Arasasingham; G. Zhang and T.C. Bruice</u>. The Rate-Limiting Step in the One-Electron Oxidation of an Alkene by Oxo[meso-tetrakis(2,6dibromophenyl)porphinato]- chromium(V) Is the Formation of a Charge-Transfer Complex. J. Am. Chem. Soc. **1991**, 113, 9828.
- 386. <u>R. Karaman; Ö. Almarsson and T.C. Bruice</u>. A Molecular Dynamics Approach to the Study of Symmetrical and Unsymmetrical Quadruply Bridged, Closely Interspaced Cofacial Tetraphenylporphyrin Dimers. *J. Org. Chem.* **1992**, *57*, 1555.
- 387. <u>R.D. Arasasingham; S. Jeon and T.C. Bruice</u>. The Dynamics of the Reactions of meso-Tetrakis(2,6-dimethyl-3- sulfonatophenyl)porphinato-manganese(III) Hydrate with Various Alkyl Hydroperoxides in Aqueous Solution. Product Studies and Comparison of Kinetic Parameters. *J. Am. Chem. Soc.* **1992**, *114*, 2536.
- 389. <u>A. Salehi; A. Shirazi and T.C. Bruice</u>. Propensity Toward Formation of Higher Aggregates in Anionic and Cationic Iron Tetraphenylporphyrin u-Oxo Dimers: Evidence from 1H- and 13NMR Spectroscopy. *Inorg. Chem. Acta*. **1992**, *194*, 119.
- 390. <u>R. Karaman; Ö. Almarsson; A. Blaskó and T.C. Bruice</u>. The Design, Synthesis and Characterization of a "Shopping Basket" Bis- Porphyrin. The First Examples of Triply Bridged Closely Interspaced Cofacial Porphyrin Dimers. *J. Org. Chem.* 1992, 57, 2169.
- 391. <u>R. Karaman; A. Blaskó; Ö. Almarsson; R. Arasasingham and T.C. Bruice</u>. Symmetrical and Unsymmetrical Quadruply Aza Bridged Closely Interspaced Cofacial Bis-5,10,15,20- Tetraphenylporphyrins 2. Synthesis, Characterization, Molecular Mechanics Calculations and Physical Properties. *J. Am. Chem. Soc.* 1992, *114*, 4889.
- 392. <u>R. Karaman; S. Jeon; Ö. Almarsson and T.C. Bruice</u>. Symmetrical and Unsymmetrical Quadruply Aza Bridged Closely Interspaced Cofacial Bis-5,10,15,20-Tetraphenylporphyrins 3. Intraplanar Distance, 1H NMR Chemical Shifts and the

Catalysis of the Electrochemical Reduction of Oxygen. J. Am. Chem. Soc. 1992, 114, 4899.

- 394. <u>R. Karaman and T.C. Bruice</u>. Unusual Behavior of meso- Substituted 5,10,15,20-Tetraphenylporphine Diacid Toward Oxygen Bronsted Bases. *Inorg. Chem.* 1992, 31, 2455.
- 395. <u>D. Ostovic and T.C. Bruice</u>. Mechanism of Alkene Epoxidation by the Higher Valent Oxo-Metalloporphyrins. *Acc. Chem. Res.* **1992**, *25*, 314.
- 396. <u>H.-Y. Zhang; A. Blaskó; J.-Q. Yu; and T.C. Bruice</u>. Bicyclo[2.2.2] octane-capped Porphyrins. I. Synthesis, Characterization and Solution Three-dimensional Structure. *J. Am. Chem. Soc.* **1992**, *114*, 6621.
- 397. <u>S. Jeon and T.C. Bruice</u>. Redox Chemistry of Water-Soluble Iron, Manganese, and Chromium Metalloporphyrins and Acid- Base Behavior of Their Axial Ligands in Aqueous Solution: Influence of Electronic Effects. *Inorg. Chem.* **1992**, *31*, 4843.
- 399. <u>M.J. Beck; E. Gopinath; and T.C. Bruice</u>. Influence of Nitrogen Base Ligation on the Rate of Reaction of [5,10,15,20- Tetrakis(2,6-dimethyl-3sulfonatophenyl)porphinato] Iron(III) Hydrate with t-BuOOH in Aqueous Solution. *J. Am. Chem. Soc.* **1993**, *58*, 438.
- 402. <u>S. Jeon; Ö. Almarsson; R. Karaman; A. Blaskó, and T.C. Bruice</u>. Symmetrical and Unsymmetrical Quadruply Aza Bridged Closely Interspaced Cofacial Bis-5,10,15,20 Tetraphenylporphyrins. 4. Structure and Conformational Effects on Electrochemistry and the Catalysis of Electrochemical Reduction of Dioxygen by Bis-, Tris, and Quadruply N,N-dimethylene Sulfonamide Bridged Dimeric Bis- Cobalt Tetraphenylporphyrins. *Inorganic Chemistry* **1993**, *32*, 2562.
- 408. <u>R. D. Arasasingham; G.-X. He; and T. C. Bruice</u>. Mechanism of Manganese Porphyrin-Catalyzed Oxidation of Alkenes. Role of Manganese(IV)-Oxo Species. J. Am. Chem. Soc. **1993**, 115, 7985.
- 411. <u>A. Blaskó; B. Garcia; and T.C. Bruice</u>. Pendant-Capped Porphyrins. II. Structural Analysis and Dynamics of the Biphenyl Pendant- Capped Porphyrin Model of Catalase and Its Fe(III) Complex by One and Two Dimensional 1H NMR Spectroscopy and Distance Geometry/Molecular Modeling Refinement. *J. Org. Chem.* 1993, 58, 5738.
- 412. <u>Ö. Almarsson; A. Blaskó; and T.C. Bruice</u>. Studies on a Hydrocarbon Capped Free Base Tetraphenylporphyrin and its Conjugate Acids - First Observation of a Monoprotonated Tetraphenylporphyrin {CapTPP(H3+)CF3CO2-}. *Tetrahedron* **1993**, *49*, 10239.
- 413. <u>Arasasingham, Ramesh D.; Bruice, Thomas C.</u> Formation and alkene epoxidation by higher-valent oxo-metalloporphyrins. *Act. Dioxygen Homogeneous Catal. Oxid., [Proc. Int. Symp.], 5th* **1993,** 147-69.
- 416. <u>Ostovic, Drazen; He, Gong-Xin; Bruice, Thomas C.</u> Mechanisms of reaction of hypervalent oxochromium, iron, and manganese tetraphenylporphyrins with alkenes. *Metalloporphyrins Catal. Oxid.* **1994**, 29-68.

- 420. <u>H-Y. Zhang; J-Q Yu and T. C. Bruice</u>. Synthesis of a Spheroidal Bis- porphyrin. a Ligand Designed to Accept Two Catalytic Metal Ions in an Isolated Environment. *Tetrahedron* **1994**, *59*, 11339.
- 427. <u>O. Almarsson; H. Adalsteinsson; T. C. Bruice</u>. Synthesis and Characterization of An Octacationic Iron(III) Tetraphenylporphyrin, Which is Soluble in Water and Non moxo Dimer Forming. *J. Am. Chem. Soc.* **1995**, *117*, 4524.
- 428. <u>O. Almarsson; T. C. Bruice</u>. A Homolytic Mechanism of O-O Bond Scission Prevails in the Reactions of Alkyl Hydroperoxides With An Octacationic Tetraphenylporphnato Iron(III) Complex in Aqueous Solution. *J. Am. Chem. Soc.* **1995,** *117*, 4533.
- 439. <u>H-Y. Zhang and T. C. Bruice</u>. The Kinetic Influence of Increasing Steric Hindrance to Metallation By Zinc(II) which Accompanies the Inclusion of 5,10,15,20meso(Tetraphenyl)porphyrin into Capped and Quadruply Bridged Closely Spaced Bis-porphyrin Structures. *Inorganica Chimica Acta*. **1996**, *247*, 195.