



US007847139B2

(12) **United States Patent**
Lorkovic et al.

(10) **Patent No.:** **US 7,847,139 B2**
(45) **Date of Patent:** **Dec. 7, 2010**

- (54) **HYDROCARBON SYNTHESIS**
- (75) Inventors: **Ivan M. Lorkovic**, Santa Barbara, CA (US); **Maria Noy**, Carpinteria, CA (US); **Jeffrey H. Sherman**, Sebastian, FL (US); **Michael J. Weiss**, Santa Barbara, CA (US); **Galen D. Stucky**, Goleta, CA (US)
- (73) Assignees: **GRT, Inc.**, Santa Barbara, CA (US); **The Regents of the University of California**, Oakland, CA (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **12/217,311**
- (22) Filed: **Jul. 2, 2008**
- (65) **Prior Publication Data**
US 2008/0269534 A1 Oct. 30, 2008
- Related U.S. Application Data**
- (63) Continuation of application No. 10/893,418, filed on Jul. 15, 2004, now abandoned.
- (60) Provisional application No. 60/487,364, filed on Jul. 15, 2003.
- (51) **Int. Cl.**
C07C 1/00 (2006.01)
- (52) **U.S. Cl.** **585/359**; 585/408; 585/469; 585/642; 585/733; 585/943; 585/935
- (58) **Field of Classification Search** None
See application file for complete search history.

- 3,879,473 A 4/1975 Stapp
- 3,879,480 A 4/1975 Riegel et al.
- 3,883,651 A 5/1975 Weitun et al.
- 3,886,287 A 5/1975 Kobayashi et al.
- 3,894,103 A 7/1975 Chang et al.
- 3,894,104 A 7/1975 Chang et al.
- 3,894,105 A 7/1975 Chang et al.
- 3,894,107 A 7/1975 Butter et al.
- 3,907,917 A 9/1975 Forth
- 3,919,336 A 11/1975 Kurtz
- 3,920,764 A 11/1975 Riegel et al.
- 3,923,913 A 12/1975 Antonini et al.
- 3,928,483 A 12/1975 Chang et al.
- 3,965,205 A 6/1976 Garwood et al.
- 3,974,062 A 8/1976 Owen et al.
- 3,987,119 A 10/1976 Kurtz et al.
- 3,992,466 A 11/1976 Plank et al.
- 4,006,169 A 2/1977 Anderson et al.
- 4,011,278 A 3/1977 Plank et al.
- 4,025,571 A 5/1977 Lago
- 4,025,572 A 5/1977 Lago
- 4,025,575 A 5/1977 Chang et al.
- 4,025,576 A 5/1977 Chang et al.
- 4,035,285 A 7/1977 Owen et al.
- 4,035,430 A 7/1977 Dwyer et al.
- 4,039,600 A 8/1977 Chang

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,168,260 A 8/1939 Heisel et al.
- 2,246,082 A 6/1941 Vaughan et al.
- 2,488,083 A 11/1949 Gorin et al.
- 2,677,598 A 5/1954 Crummett et al.
- 2,941,014 A 6/1960 Rothweiler et al.
- 3,076,784 A 2/1963 Huermann et al.
- 3,172,915 A 3/1965 Borkowski et al.
- 3,246,043 A 4/1966 Rosset et al.
- 3,294,846 A 12/1966 Livak et al.
- 3,310,380 A 3/1967 Lester
- 3,346,340 A 10/1967 Louvar et al.
- 3,353,916 A 11/1967 Lester
- 3,353,919 A 11/1967 Stockman
- 3,496,242 A 2/1970 Berkowitz et al.
- 3,562,321 A 2/1971 Borkowski et al.
- 3,598,876 A 8/1971 Bloch
- 3,657,367 A 4/1972 Blake et al.
- 3,670,037 A 6/1972 Dugan
- 3,673,264 A 6/1972 Kuhn
- 3,679,758 A 7/1972 Schneider
- 3,702,886 A 11/1972 Argauer et al.
- 3,705,196 A 12/1972 Turner
- 3,799,997 A 3/1974 Schmerling
- 3,865,886 A 2/1975 Schindler et al.
- 3,876,715 A 4/1975 McNulty et al.

(Continued)

FOREIGN PATENT DOCUMENTS

BR 0210054 8/2004

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 60/487,364, filed Jul. 15, 2003, Lorkovic et al.

(Continued)

Primary Examiner—Tam M Nguyen
(74) *Attorney, Agent, or Firm*—Baker Botts L.L.P.

(57) **ABSTRACT**

A method of synthesizing hydrocarbons from smaller hydrocarbons includes the steps of hydrocarbon halogenation, simultaneous oligomerization and hydrogen halide neutralization, and product recovery, with a metal-oxygen cataloreactant used to facilitate carbon-carbon coupling. Treatment with air or oxygen liberates halogen and regenerates the cataloreactant.

25 Claims, No Drawings

U.S. PATENT DOCUMENTS					
			4,513,092	A	4/1985 Chu et al.
4,044,061	A	8/1977 Chang et al.	4,513,164	A	4/1985 Olah
4,046,825	A	9/1977 Owen et al.	4,523,040	A	6/1985 Olah
4,049,734	A	9/1977 Garwood et al.	4,524,227	A	6/1985 Fowles et al.
4,052,471	A	10/1977 Pearsall	4,524,228	A	6/1985 Fowles et al.
4,052,472	A	10/1977 Given et al.	4,524,231	A	6/1985 Fowles et al.
4,058,576	A	11/1977 Chang et al.	4,538,014	A	8/1985 Miale et al.
4,060,568	A	11/1977 Rodewald	4,538,015	A	8/1985 Miale et al.
4,071,753	A	1/1978 Fulenwider et al.	4,540,826	A	9/1985 Banasiak et al.
4,072,733	A	2/1978 Hargis et al.	4,543,434	A	9/1985 Chang
4,087,475	A	5/1978 Jordan	4,544,781	A	10/1985 Chao et al.
4,088,706	A	5/1978 Kaeding	4,547,612	A	10/1985 Tabak
4,092,368	A	5/1978 Smith	4,550,217	A	10/1985 Graziani et al.
4,110,180	A	8/1978 Nidola et al.	4,550,218	A	10/1985 Chu
4,117,251	A	9/1978 Kaufhold et al.	4,568,660	A	2/1986 Klosiewicz
4,129,604	A	12/1978 Tsao	4,579,977	A	4/1986 Drake
4,133,838	A	1/1979 Pearson	4,579,992	A	4/1986 Kaufhold et al.
4,133,966	A	1/1979 Pretzer et al.	4,579,996	A	4/1986 Font Freide et al.
4,138,440	A	2/1979 Chang et al.	4,587,375	A	5/1986 Debras et al.
4,156,698	A	5/1979 Dwyer et al.	4,588,835	A	5/1986 Torii et al.
4,169,862	A	10/1979 Eden	4,590,310	A	5/1986 Townsend et al.
4,172,099	A	10/1979 Severino	4,599,474	A	7/1986 Devries et al.
4,187,255	A	2/1980 Dodd	4,605,796	A	8/1986 Isogai et al.
4,194,990	A	3/1980 Pieters et al.	4,605,803	A	8/1986 Chang et al.
4,197,420	A	4/1980 Ferraris et al.	4,621,161	A	11/1986 Shihabi
4,219,680	A	8/1980 Konig et al.	4,621,164	A	11/1986 Chang et al.
4,249,031	A	2/1981 Drent et al.	4,633,027	A	12/1986 Owen et al.
4,270,929	A	6/1981 Dang Vu et al.	4,634,800	A	1/1987 Withers, Jr. et al.
4,272,338	A	6/1981 Lynch et al.	4,642,403	A	2/1987 Hyde et al.
4,282,159	A	8/1981 Davidson et al.	4,642,404	A	2/1987 Shihabi
4,300,005	A	11/1981 Li	4,652,688	A	3/1987 Brophy et al.
4,300,009	A	11/1981 Haag et al.	4,654,449	A	3/1987 Chang et al.
4,301,253	A	11/1981 Warren	4,655,893	A	4/1987 Beale
4,302,619	A	11/1981 Gross et al.	4,658,073	A	4/1987 Tabak
4,307,261	A	12/1981 Beard, Jr. et al.	4,658,077	A	4/1987 Kolts et al.
4,308,403	A	12/1981 Knifton	4,665,259	A	5/1987 Brazdil et al.
4,311,865	A	1/1982 Chen et al.	4,665,267	A	5/1987 Barri
4,317,800	A	3/1982 Sloterdijk et al.	4,665,270	A	5/1987 Brophy et al.
4,317,934	A	3/1982 Seemuth	4,675,410	A	6/1987 Feitler et al.
4,317,943	A	3/1982 Knifton	4,690,903	A	9/1987 Chen et al.
4,320,241	A	3/1982 Frankiewicz	4,695,663	A	9/1987 Hall et al.
4,333,852	A	6/1982 Warren	4,696,985	A	9/1987 Martin
4,347,391	A	8/1982 Campbell	4,704,488	A	11/1987 Devries et al.
4,350,511	A	9/1982 Holmes et al.	4,704,493	A	11/1987 Devries et al.
4,371,716	A	2/1983 Paxson et al.	4,709,108	A	11/1987 Devries et al.
4,373,109	A	2/1983 Olah	4,720,600	A	1/1988 Beech, Jr. et al.
4,376,019	A	3/1983 Gamlen et al.	4,720,602	A	1/1988 Chu
4,380,682	A	4/1983 Leitert et al.	4,724,275	A	2/1988 Hinnenkamp et al.
4,384,159	A	5/1983 Diesen	4,735,747	A	4/1988 Ollivier et al.
4,389,391	A	6/1983 Dunn	4,737,594	A	4/1988 Olah
4,410,714	A	10/1983 Apanel	4,748,013	A	5/1988 Saito et al.
4,412,086	A	10/1983 Beard, Jr. et al.	4,769,504	A	9/1988 Noceti et al.
4,418,236	A	11/1983 Cornelius et al.	4,774,216	A	9/1988 Kolts et al.
4,431,856	A	2/1984 Daviduk et al.	4,775,462	A	10/1988 Imai et al.
4,433,189	A	2/1984 Young	4,777,321	A	10/1988 Harandi et al.
4,433,192	A	2/1984 Olah	4,781,733	A	11/1988 Babcock et al.
4,439,409	A	3/1984 Puppe et al.	4,783,566	A	11/1988 Kocal et al.
4,440,871	A	4/1984 Lok et al.	4,788,369	A	11/1988 Marsh et al.
4,443,620	A	4/1984 Gelbein et al.	4,788,377	A	11/1988 Chang et al.
4,462,814	A	7/1984 Holmes et al.	4,792,642	A	12/1988 Rule et al.
4,465,884	A	8/1984 Degnan et al.	4,795,732	A	1/1989 Barri
4,465,893	A	8/1984 Olah	4,795,737	A	1/1989 Rule et al.
4,467,130	A	8/1984 Olah	4,795,843	A	1/1989 Imai et al.
4,467,133	A	8/1984 Chang et al.	4,795,848	A	1/1989 Teller et al.
4,489,210	A	12/1984 Judat et al.	4,804,797	A	2/1989 Minet et al.
4,489,211	A	12/1984 Ogura et al.	4,804,800	A	2/1989 Bortinger et al.
4,492,657	A	1/1985 Heiss	4,808,763	A	2/1989 Shum
4,496,752	A	1/1985 Gelbein et al.	4,814,527	A	3/1989 Diesen
4,497,967	A	2/1985 Wan	4,814,532	A	3/1989 Yoshida et al.
4,499,314	A	2/1985 Seddon et al.	4,814,535	A	3/1989 Yurchak
4,506,105	A	3/1985 Kaufhold	4,814,536	A	3/1989 Yuchak
4,509,955	A	4/1985 Hayashi	4,849,562	A	7/1989 Buhs et al.
			4,849,573	A	7/1989 Kaefing

4,851,602 A	7/1989	Harandi et al.	5,188,725 A	2/1993	Harandi
4,851,606 A	7/1989	Ragonese et al.	5,191,142 A	3/1993	Marshall et al.
4,886,925 A	12/1989	Harandi	5,194,244 A	3/1993	Brownscombe et al.
4,886,932 A	12/1989	Leysdon	5,202,506 A	4/1993	Kirchner et al.
4,891,463 A	1/1990	Chu	5,202,511 A	4/1993	Salinas, III et al.
4,895,995 A	1/1990	James, Jr. et al.	5,210,357 A	5/1993	Kolts et al.
4,899,000 A	2/1990	Stauffer	5,215,648 A	6/1993	Zones et al.
4,899,001 A	2/1990	Kalnes et al.	5,223,471 A	6/1993	Washecheck
4,899,002 A	2/1990	Harandi et al.	5,228,888 A	7/1993	Gmelin et al.
4,902,842 A	2/1990	Kalnes et al.	5,233,113 A	8/1993	Periana et al.
4,925,995 A	5/1990	Robschlager	5,237,115 A	8/1993	Makovec et al.
4,929,781 A	5/1990	James, Jr. et al.	5,243,098 A	9/1993	Miller et al.
4,939,310 A	7/1990	Wade	5,243,114 A	9/1993	Johnson et al.
4,939,311 A	7/1990	Washecheck et al.	5,245,109 A	9/1993	Kaminsky et al.
4,945,175 A	7/1990	Hobbs et al.	5,254,772 A	10/1993	Dukat et al.
4,950,811 A	8/1990	Doussain et al.	5,254,790 A	10/1993	Thomas et al.
4,950,822 A	8/1990	Dileo et al.	5,264,635 A	11/1993	Le et al.
4,956,521 A	9/1990	Volles	5,268,518 A	12/1993	West et al.
4,962,252 A	10/1990	Wade	5,276,226 A	1/1994	Horvath et al.
4,973,776 A	11/1990	Allenger et al.	5,276,240 A	1/1994	Timmons et al.
4,973,786 A	11/1990	Karra	5,276,242 A	1/1994	Wu
4,982,024 A	1/1991	Lin et al.	5,284,990 A	2/1994	Peterson et al.
4,982,041 A	1/1991	Campbell	5,300,126 A	4/1994	Brown et al.
4,988,660 A	1/1991	Campbell	5,306,855 A	4/1994	Periana et al.
4,990,696 A	2/1991	Stauffer	5,316,995 A	5/1994	Kaminsky et al.
4,990,711 A	2/1991	Chen et al.	5,319,132 A	6/1994	Ozawa et al.
5,001,293 A	3/1991	Nubel et al.	5,334,777 A	8/1994	Miller et al.
5,004,847 A	4/1991	Beaver et al.	5,345,021 A	9/1994	Casci et al.
5,013,424 A	5/1991	James, Jr. et al.	5,354,916 A	10/1994	Horvath et al.
5,013,793 A	5/1991	Wang et al.	5,354,931 A	10/1994	Jan et al.
5,019,652 A	5/1991	Taylor et al.	5,366,949 A	11/1994	Schubert
5,026,934 A	6/1991	Bains et al.	5,371,313 A	12/1994	Ostrowicki
5,026,937 A	6/1991	Bricker	5,382,704 A	1/1995	Krespan et al.
5,026,944 A	6/1991	Allenger et al.	5,382,743 A	1/1995	Beech, Jr. et al.
5,034,566 A	7/1991	Ishino et al.	5,382,744 A	1/1995	Abbott et al.
5,043,502 A	8/1991	Martindale et al.	5,385,718 A	1/1995	Casci et al.
5,055,235 A	10/1991	Brackenridge et al.	5,395,981 A	3/1995	Marker
5,055,633 A	10/1991	Volles	5,399,258 A	3/1995	Fletcher et al.
5,055,634 A	10/1991	Volles	5,401,890 A	3/1995	Parks
5,059,744 A	10/1991	Harandi et al.	5,401,894 A	3/1995	Brasier et al.
5,068,478 A	11/1991	Miller et al.	5,406,017 A	4/1995	Withers, Jr.
5,071,449 A	12/1991	Sircar	5,414,173 A	5/1995	Garces et al.
5,071,815 A	12/1991	Wallace	5,430,210 A	7/1995	Grasselli et al.
5,073,656 A	12/1991	Chafin et al.	5,430,214 A	7/1995	Smith et al.
5,073,657 A	12/1991	Warren	5,430,219 A	7/1995	Sanfilippo et al.
5,082,473 A	1/1992	Keefer	5,436,378 A	7/1995	Masini et al.
5,082,816 A	1/1992	Teller et al.	5,444,168 A	8/1995	Brown
5,085,674 A	2/1992	Leavitt	5,446,234 A	8/1995	Casci et al.
5,087,779 A	2/1992	Nubel et al.	5,453,557 A	9/1995	Harley et al.
5,087,786 A	2/1992	Nubel et al.	5,456,822 A	10/1995	Marcilly et al.
5,087,787 A	2/1992	Kimble et al.	5,457,255 A	10/1995	Kumata et al.
5,093,542 A	3/1992	Gaffney	5,464,799 A	11/1995	Casci et al.
5,096,469 A	3/1992	Keefer	5,465,699 A	11/1995	Voigt
5,097,083 A	3/1992	Stauffer	5,470,377 A	11/1995	Whitlock
5,099,084 A	3/1992	Stauffer	5,480,629 A	1/1996	Thompson et al.
5,105,045 A	4/1992	Kimble et al.	5,486,627 A	1/1996	Quarderer et al.
5,105,046 A	4/1992	Washecheck	5,489,719 A	2/1996	Le et al.
5,107,032 A	4/1992	Erb et al.	5,489,727 A	2/1996	Randolph et al.
5,107,051 A	4/1992	Pannell	5,500,297 A	3/1996	Thompson et al.
5,107,061 A	4/1992	Ou et al.	5,510,525 A	4/1996	Sen et al.
5,108,579 A	4/1992	Casci	5,523,503 A	6/1996	Funk et al.
5,118,899 A	6/1992	Kimble et al.	5,525,230 A	6/1996	Wrigley et al.
5,120,332 A	6/1992	Wells	5,538,540 A	7/1996	Whitlock
5,132,343 A	7/1992	Zwecker et al.	5,563,313 A	10/1996	Chung et al.
5,138,112 A	8/1992	Gosling et al.	5,565,092 A	10/1996	Pannell et al.
5,139,991 A	8/1992	Taylor et al.	5,565,616 A	10/1996	Li et al.
5,146,027 A	9/1992	Gaffney	5,571,762 A	11/1996	Clerici et al.
5,157,189 A	10/1992	Karra	5,571,885 A	11/1996	Chung et al.
5,160,502 A	11/1992	Kimble et al.	5,599,381 A	2/1997	Whitlock
5,166,452 A	11/1992	Gradl et al.	5,600,043 A	2/1997	Johnston et al.
5,175,382 A	12/1992	Hebgen et al.	5,600,045 A	2/1997	Van Der Aalst et al.
5,178,748 A	1/1993	Casci et al.	5,609,654 A	3/1997	Le et al.
5,185,479 A	2/1993	Stauffer	5,633,419 A	5/1997	Spencer et al.

5,639,930 A	6/1997	Penick	7,053,252 B2	5/2006	Boussand et al.
5,653,956 A	8/1997	Zones	7,057,081 B2	6/2006	Allison et al.
5,656,149 A	8/1997	Zones et al.	7,060,865 B2	6/2006	Ding et al.
5,661,097 A	8/1997	Spencer et al.	7,064,238 B2	6/2006	Waycuilis
5,663,465 A	9/1997	Clegg et al.	7,064,240 B2	6/2006	Ohno et al.
5,663,474 A	9/1997	Pham et al.	7,067,448 B1	6/2006	Weitkamp et al.
5,675,046 A	10/1997	Ohno et al.	7,083,714 B2	8/2006	Elomari
5,675,052 A	10/1997	Menon et al.	7,084,308 B1	8/2006	Stauffer
5,679,134 A	10/1997	Brugerolle et al.	7,091,270 B2	8/2006	Zilberman et al.
5,679,879 A	10/1997	Mercier et al.	7,091,387 B2	8/2006	Fong et al.
5,684,213 A	11/1997	Nemphos et al.	7,091,391 B2	8/2006	Stauffer
5,693,191 A	12/1997	Pividal et al.	7,094,936 B1	8/2006	Owens et al.
5,695,890 A	12/1997	Thompson et al.	7,098,371 B2	8/2006	Mack et al.
5,698,747 A	12/1997	Godwin et al.	7,105,710 B2	9/2006	Boons et al.
5,705,712 A	1/1998	Frey et al.	7,138,534 B2	11/2006	Forlin et al.
5,705,728 A	1/1998	Viswanathan et al.	7,141,708 B2	11/2006	Marsella et al.
5,705,729 A	1/1998	Huang	7,145,045 B2	12/2006	Harmsen et al.
5,708,246 A	1/1998	Camaioni et al.	7,148,356 B2	12/2006	Smith, III et al.
5,720,858 A	2/1998	Noceti et al.	7,148,390 B2	12/2006	Zhou et al.
5,728,897 A	3/1998	Buysch et al.	7,151,199 B2	12/2006	Martens et al.
5,728,905 A	3/1998	Clegg et al.	7,161,050 B2	1/2007	Sherman et al.
5,734,073 A	3/1998	Chambers et al.	7,169,730 B2	1/2007	Ma et al.
5,741,949 A	4/1998	Mack	7,176,340 B2	2/2007	Van Broekhoven et al.
5,744,669 A	4/1998	Kalnes et al.	7,176,342 B2	2/2007	Bellussi et al.
5,750,801 A	5/1998	Buysch et al.	7,182,871 B2	2/2007	Perriello
5,770,175 A	6/1998	Zones	7,193,093 B2	3/2007	Murray et al.
5,776,871 A	7/1998	Cothran et al.	7,196,239 B2	3/2007	Van Egmond et al.
5,780,703 A	7/1998	Chang et al.	7,199,083 B2	4/2007	Zevallos
5,798,314 A	8/1998	Spencer et al.	7,199,255 B2	4/2007	Murray et al.
5,814,715 A	9/1998	Chen et al.	7,208,641 B2	4/2007	Nagasaki et al.
5,817,904 A	10/1998	Vic et al.	7,214,750 B2	5/2007	McDonald et al.
5,821,394 A	10/1998	Schoebrechts et al.	7,220,391 B1	5/2007	Huang et al.
5,959,170 A	9/1999	Withers	7,226,569 B2	6/2007	Elomari
5,968,236 A	10/1999	Bassine	7,226,576 B2	6/2007	Elomari
5,969,195 A	10/1999	Stabel et al.	7,230,150 B2	6/2007	Grosso et al.
5,998,679 A	12/1999	Miller	7,230,151 B2	6/2007	Martens et al.
6,056,804 A	5/2000	Keefer et al.	7,232,872 B2	6/2007	Shaffer et al.
6,068,679 A	5/2000	Zheng	7,238,846 B2	7/2007	Janssen et al.
6,320,085 B1	11/2001	Arvai et al.	7,244,795 B2	7/2007	Agapiou et al.
6,368,490 B1	4/2002	Gestermann	7,244,867 B2	7/2007	Waycuilis
6,403,840 B1	6/2002	Zhou et al.	7,250,107 B2	7/2007	Benazzi et al.
6,406,523 B1	6/2002	Connor et al.	7,250,542 B2	7/2007	Smith, Jr. et al.
6,452,058 B1	9/2002	Schweizer et al.	7,252,920 B2	8/2007	Kurokawa et al.
6,462,243 B1	10/2002	Zhou et al.	7,253,327 B2	8/2007	Janssens et al.
6,465,696 B1	10/2002	Zhou et al.	7,253,328 B2	8/2007	Stauffer
6,465,699 B1	10/2002	Grosso	7,265,193 B2	9/2007	Weng et al.
6,472,572 B1	10/2002	Zhou et al.	7,267,758 B2	9/2007	Benazzi et al.
6,486,368 B1	11/2002	Zhou et al.	7,268,263 B1	9/2007	Frey et al.
6,511,526 B2	1/2003	Jagger et al.	7,271,303 B1	9/2007	Sechrist et al.
6,514,319 B2	2/2003	Keefer et al.	7,273,957 B2	9/2007	Bakshi et al.
6,525,230 B2	2/2003	Grosso	7,282,603 B2	10/2007	Richards
6,641,644 B2	11/2003	Jagger et al.	7,285,698 B2	10/2007	Liu et al.
6,672,572 B2	1/2004	Werlen	7,304,193 B1	12/2007	Frey et al.
6,692,626 B2	2/2004	Keefer et al.	7,342,144 B2	3/2008	Kaizik et al.
6,713,087 B2	3/2004	Tracy et al.	7,348,295 B2	3/2008	Zones et al.
6,713,655 B2	3/2004	Yilmaz et al.	7,348,464 B2	3/2008	Waycuilis
RE38,493 E	4/2004	Keefer et al.	7,357,904 B2	4/2008	Zones et al.
6,740,146 B2	5/2004	Simonds	7,361,794 B2	4/2008	Grosso
6,866,950 B2	3/2005	Connor et al.	7,390,395 B2	6/2008	Elomari
6,902,602 B2	6/2005	Keefer et al.	2002/0102672 A1	8/2002	Mizrahi
6,921,597 B2	7/2005	Keefer et al.	2002/0198416 A1	12/2002	Zhou et al.
6,956,140 B2	10/2005	Ehrenfeld	2003/0004380 A1	1/2003	Grumann
6,958,306 B2	10/2005	Holtcamp	2003/0065239 A1	4/2003	Zhu
6,984,763 B2	1/2006	Schweizer et al.	2003/0069452 A1	4/2003	Sherman et al.
7,001,872 B2	2/2006	Pycroft et al.	2003/0078456 A1	4/2003	Yilmaz et al.
7,002,050 B2	2/2006	Santiago Fernandez et al.	2003/0120121 A1	6/2003	Sherman et al.
7,011,811 B2	3/2006	Elomari	2003/0125589 A1	7/2003	Grosso
7,019,182 B2	3/2006	Grosso	2003/0166973 A1	9/2003	Zhou et al.
7,026,145 B2	4/2006	Mizrahi et al.	2004/0006246 A1	1/2004	Sherman et al.
7,026,519 B2	4/2006	Santiago Fernandez et al.	2004/0062705 A1	4/2004	Leduc
7,037,358 B2	5/2006	Babicki et al.	2004/0152929 A1	8/2004	Clarke
7,045,670 B2	5/2006	Johnson et al.	2004/0158107 A1	8/2004	Aoki
7,049,388 B2	5/2006	Boriack et al.	2004/0158108 A1	8/2004	Snoble

2004/0187684	A1	9/2004	Elomari	EP	0976705	A1	7/1998
2005/0047927	A1	3/2005	Lee et al.	EP	1186591	A2	3/2002
2005/0148805	A1	7/2005	Jones	EP	1253126	A1	10/2002
2005/0171393	A1	8/2005	Lorkovic	EP	1312411	A2	5/2003
2005/0192468	A1	9/2005	Sherman et al.	EP	1395536		3/2004
2005/0215837	A1	9/2005	Hoffpauir	EP	1404636		4/2004
2005/0234276	A1	10/2005	Waycuilis	EP	1235769	B1	5/2004
2005/0245772	A1	11/2005	Fong	EP	1435349	A2	7/2004
2005/0245777	A1	11/2005	Fong	EP	1440939	A1	7/2004
2005/0267224	A1	12/2005	Herling	EP	1474371		11/2004
2006/0025617	A1	2/2006	Begley	EP	1235772	B1	1/2005
2006/0100469	A1	5/2006	Waycuilis	EP	1661620	A1	5/2006
2006/0135823	A1	6/2006	Jun	EP	1760057	A1	3/2007
2006/0138025	A1	6/2006	Zones	EP	1689728	B1	4/2007
2006/0138026	A1	6/2006	Chen	EP	1808227	A1	7/2007
2006/0149116	A1	7/2006	Slaugh	EP	1837320	A1	9/2007
2006/0229228	A1	10/2006	Komon et al.	GB	5125		2/1912
2006/0229475	A1	10/2006	Weiss et al.	GB	156122		3/1922
2006/0270863	A1	11/2006	Reiling	GB	294100		6/1929
2006/0288690	A1	12/2006	Elomari	GB	363009		12/1931
2007/0004955	A1	1/2007	Kay	GB	402928		12/1933
2007/0078285	A1	4/2007	Dagle	GB	474922	A	11/1937
2007/0100189	A1	5/2007	Stauffer	GB	536491		5/1941
2007/0129584	A1	6/2007	Basset	GB	553950		6/1943
2007/0142680	A1	6/2007	Ayoub	GB	586483		3/1947
2007/0148067	A1	6/2007	Zones	GB	775590		5/1957
2007/0148086	A1	6/2007	Zones	GB	793214		4/1958
2007/0149778	A1	6/2007	Zones	GB	796048		6/1958
2007/0149789	A1	6/2007	Zones	GB	796085		6/1958
2007/0149819	A1	6/2007	Zones	GB	883256		11/1961
2007/0149824	A1	6/2007	Zones	GB	950975		3/1964
2007/0149837	A1	6/2007	Zones	GB	950976		3/1964
2007/0197801	A1	8/2007	Bolk	GB	991303		5/1965
2007/0197847	A1	8/2007	Liu	GB	995960		6/1965
2007/0213545	A1	9/2007	Bolk	GB	1015033		12/1965
2007/0238905	A1	10/2007	Arredondo	GB	1104294		2/1968
2007/0238909	A1	10/2007	Gadewar et al.	GB	1133752		11/1968
2007/0251382	A1	11/2007	Gadewar	GB	1172002		11/1969
2007/0276168	A1	11/2007	Garel	GB	1212240		11/1970
2007/0284284	A1	12/2007	Zones	GB	1233299		5/1971
2008/0171898	A1	7/2008	Waycuilis	GB	1253618		11/1971
2008/0183022	A1	7/2008	Waycuilis	GB	1263806	A	2/1972
2008/0188697	A1	8/2008	Lorkovic	GB	1446803		8/1976
2008/0314758	A1	12/2008	Grosso	GB	1542112		3/1979
2009/0069606	A1	3/2009	Komon	GB	2095243	A	9/1982
2009/0127163	A1	5/2009	Weiss	GB	2095245	A	9/1982
2010/0096588	A1	4/2010	Gadewar	GB	2095249	A	9/1982
2010/0099928	A1	4/2010	Gadewar	GB	2116546	A	9/1982
2010/0099929	A1	4/2010	Gadewar	GB	2120249	A	11/1983
2010/0099930	A1	4/2010	Stoimenov	GB	2185754	A	7/1987
2010/0105972	A1	4/2010	Lorkovic	GB	2191214	A	12/1987
2010/0121119	A1	5/2010	Sherman	JP	2004-529189		9/2004

FOREIGN PATENT DOCUMENTS

CA	1099656		4/1981	WO	83/00859		3/1983
CA	1101441		5/1981	WO	85/04863		11/1985
CA	1202610		4/1986	WO	85/04867		11/1985
CA	2447761	A1	11/2002	WO	90/08120		7/1990
CA	2471295	A1	7/2003	WO	90/08752		8/1990
CA	2542857		5/2005	WO	91/18856		12/1991
CA	2236126		8/2006	WO	92/03401		3/1992
CA	2203115		9/2006	WO	92/12946		8/1992
CA	2510093		12/2006	WO	93/16798		9/1993
EP	0021497		1/1981	WO	96/22263		7/1996
EP	0164798	A1	12/1985	WO	97/44302		11/1997
EP	0418971	A1	3/1991	WO	98/12165		3/1998
EP	0418974	A1	3/1991	WO	99/07443		2/1999
EP	0418975	A1	3/1991	WO	00/07718	A1	2/2000
EP	0510238	A1	10/1992	WO	00/09261	A1	2/2000
EP	0526908	A2	2/1993	WO	01/14300	A1	3/2001
EP	0346612	B1	8/1993	WO	01/38275	A1	5/2001
EP	0560546	A1	9/1993	WO	01/44149	A1	6/2001
				WO	02/094749	A1	11/2002
				WO	02/094750	A1	11/2002
				WO	02/094751	A2	11/2002

WO 02/094752 A1 11/2002
 WO 03/000635 A1 1/2003
 WO 03/002251 A2 1/2003
 WO 03/018524 A1 3/2003
 WO 03/020676 A1 3/2003
 WO 03/022827 A1 3/2003
 WO 03/043575 A2 5/2003
 WO 03/051813 A1 6/2003
 WO 03/062143 A1 7/2003
 WO 03/062172 A2 7/2003
 WO 03/078366 A1 9/2003
 WO 2004/018093 A2 3/2004
 WO 2004/067487 A2 8/2004
 WO 2005/014168 A1 2/2005
 WO 2005/019143 A1 3/2005
 WO 2005/021468 3/2005
 WO 2005/021468 A1 3/2005
 WO 2005/035121 A2 4/2005
 WO 2005/037758 A1 4/2005
 WO 2005/054120 A2 6/2005
 WO 2005/056525 A2 6/2005
 WO 2005/058782 A1 6/2005
 WO 2005/090272 A1 9/2005
 WO 2005/095310 A2 10/2005
 WO 2005/105709 A1 11/2005
 WO 2005/105715 A1 11/2005
 WO 2005/110953 A1 11/2005
 WO 2005/113437 A1 12/2005
 WO 2005/113440 A1 12/2005
 WO 2006/007093 A1 1/2006
 WO 2006/015824 A1 2/2006
 WO 2006/019399 A2 2/2006
 WO 2006/020234 A1 2/2006
 WO 2006/036293 A1 4/2006
 WO 2006/039213 A1 4/2006
 WO 2006/039354 A2 4/2006
 WO 2006/043075 A1 4/2006
 WO 2006/053345 A1 5/2006
 WO 2006-067155 A2 6/2006
 WO 2006/067188 A1 6/2006
 WO 2006/067190 A1 6/2006
 WO 2006/067191 A1 6/2006
 WO 2006/067192 A1 6/2006
 WO 2006/067193 A1 6/2006
 WO 2006/069107 A2 6/2006
 WO 2006/071354 A1 7/2006
 WO 2006/076942 A1 7/2006
 WO 2006/083427 A1 8/2006
 WO 2006-100312 A2 9/2006
 WO 2006/104909 A2 10/2006
 WO 2006/104914 10/2006
 WO 2006/104914 A1 10/2006
 WO 2006/111997 A1 10/2006
 WO 2006/113205 A2 10/2006
 WO 2006/118935 A2 11/2006
 WO 2007/001934 A2 1/2007
 WO 2007/017900 A2 2/2007
 WO 2007/044139 A1 4/2007
 WO 2007/046986 A2 4/2007
 WO 2007/050745 A1 5/2007
 WO 2007/071046 A1 6/2007
 WO 2007/079038 A2 7/2007
 WO 2007/091009 A2 8/2007
 WO 2007/094995 A2 8/2007
 WO 2007/107031 A1 9/2007
 WO 2007/111997 A2 10/2007
 WO 2007/114479 A1 10/2007
 WO 2007/125332 A1 11/2007
 WO 2007/130054 A1 11/2007
 WO 2007/130055 A1 11/2007
 WO 2007/141295 A1 12/2007
 WO 2007/142745 A1 12/2007
 WO 2008/036562 3/2008

WO 2008/036563 3/2008
 WO 2008/106319 9/2008
 WO 2008/157043 12/2008
 WO 2008/157044 12/2008
 WO 2008/157045 12/2008
 WO 2008/157046 12/2008
 WO 2008/157047 12/2008

OTHER PUBLICATIONS

U.S. Appl. No. 60/559,844, filed Apr. 6, 2004, Sherman et al.
 U.S. Appl. No. 60/765,115, filed Feb. 3, 2006, Gadewar et al.
 Abstract of JP2007045756, Hydrogenation method using diaphragm type hydrogenation catalyst, hydrogenation reaction apparatus and diaphragm type hydrogenation catalyst, Publication date: Feb. 22, 2007, Inventor: Shuji et al., esp@cenet database—worldwide.
 Abstract of JP2007061594, Method for decomposing organohalogen compound and mobile decomposition system, Publication date: Mar. 15, 2007, Inventor: Koichi et al., esp@cenet database—worldwide.
 Abstract of JP2007099729, Method for producing alpha-methylstyrene or cumene, Publication date: Apr. 19, 2007, Inventor: Toshio, esp@cenet database—worldwide.
 Abstract of RO119778, Process for preparing perchloroethylene, Publication date: Mar. 30, 2005, Inventor: Horia et al., esp@cenet database—worldwide.
 Abstract of WO0105737, Method for preparing a carboxylic acid, Publication date: Jan. 25, 2001, Inventor: Pascal et al., esp@cenet database—worldwide.
 Abstract of WO0105738, Method for preparing a carboxylic acid, Publication date: Jan. 25, 2001, Inventor: Pascal et al., esp@cenet database—worldwide.
 Abstract of WO2004092099, Method for producing cyclic enols, Publication date: Oct. 28, 2004, Inventor: Marko et al., esp@cenet database—worldwide.
 Abstract of WO2006063852, Electroluminescent polymers and use thereof, Publication date: Jun. 22, 2006, Inventor: Ame et al., esp@cenet database—worldwide.
 Abstract of WO2006136135, Method for decarboxylating C-C cross-linking of carboxylic acids with carbon electrophiles, Publication date: Dec. 28, 2006, Inventor: Goossen Lukas et al., esp@cenet database—worldwide.
 Abstract of WO2007028761, Method for chlorinating alcohols, Publication date: Mar. 15, 2007, Inventor: Rohde et al., esp@cenet database—worldwide.
 Abstract of WO2007128842, Catalytic transalkylation of dialkyl benzenes, Publication date: Nov. 15, 2007, Inventor: Goncalvesalmeida et al., esp@cenet database—worldwide.
 Abstract of WO2007137566, Method for catalytic conversion of organic oxygenated compounds from biomaterials, Publication date: Dec. 6, 2007, Inventor: Reschetilowski, esp@cenet database—worldwide.
 Abstract of WO9721656, Method for making fluoroalkanols, Publication date: Jun. 19, 1997, Inventor: Gillet, esp@cenet database—worldwide.
 Abstract of WO9950213, Method for producing dialkyl ethers, Publication date: Oct. 7, 1999, Inventor: Falkowski Juergen et al., esp@cenet database—worldwide.
 Adachi, et al.; Synthesis of Sialyl Lewis X Ganglioside Analogs Containing a Variable Length Spacer Between the Sugar and Lipophilic Moieties; J. Carbohydrate Chem., Vol. 17, No. 4-5, (1998), pp. 595-607, XP009081720.
 Abstract of EP0039471, Process for the preparation of 2-chloro-1,1,1,2,3,3,3-heptafluoropropane, Publication date: Nov. 11, 1981, Inventor: Von Halasz, esp@cenet database—worldwide.
 Abstract of EP0101337, Process for the production of methylene chloride, Publication date: Feb. 22, 1984, Inventor: Olah et al., esp@cenet database—worldwide.
 Abstract of EP0407989, Method for the production of 1,1,1-trifluoro-2,2-dichloroethane by photochlorination, Publication date: Jan. 16, 1991, Inventor: Cremer et al., esp@cenet database—worldwide.
 Abstract of EP0442258, Process for the preparation of a polyunsaturated olefin, Publication date: Aug. 21, 1991, Inventor: Gaudin et al., esp@cenet database—worldwide.

- Abstract of EP0465294, Process for the preparation of unsaturated bromides, Publication date: Jan. 8, 1992, Inventor: Decaudin et al., esp@cenet database—worldwide.
- Abstract of EP0549387, Synthesis of n-perfluorooctylbromide, Publication date: Jun. 30, 1993, Inventor: Drivon et al., esp@cenet database—worldwide.
- Abstract of EP0850906, Process and apparatus for the etherification of olefinic hydrocarbon feedstocks, Publication date: Jul. 1, 1998, Inventor: Masson, esp@cenet database—worldwide.
- Abstract of EP0858987, Process for the conversion of lighter alkanes to higher hydrocarbons, Publication date: Aug. 19, 1998, Inventor: Amariglio et al., esp@cenet database—worldwide.
- Bakker, et al.; An Exploratory Study of the Addition Reaction of Ethyleneglycol, 2-Chloroethanol and 1, 3-Dichloro-2-Propanol to 1-Dodecene; *J. Am. Oil Chem. Soc.*, vol. 44, No. 9 (1967), pp. 517-521; XP009081570.
- Abstract of EP0235110, Process for the stabilization of silicalite catalysts, Publication date: Sep. 2, 1987, Inventor: Debras et al., esp@cenet database—worldwide.
- Bouzide et al.; Highly Selective Silver (I) Oxide Mediated Monoprotection of Symmetrical Diols; *Tetrahedron Letters*, Elsevier, vol. 38, No. 34 (1997), pp. 5945-5948; XP004094157.
- Combined International Search Report and Written Opinion Dated Apr. 17, 2007 for PCT/US06/13394, in the name of GRT, Inc.
- Gibson; Phase-Transfer Synthesis of Monoalkyl Ethers of Oligoethylene Glycols; *Journal of Organic Chemistry*, vol. 45, No. 6 (1980) pp. 1095-1098; XP002427776.
- Klabunde, Kenneth J., et al., Changes in Texture and Catalytic Activity of Nanocrystalline MgO during Its Transformation to MgC₁₂ in the Reaction with 1-Chlorobutane, *J. Phys. Chem. B* 2001, 105, 3937-3941. cited by other.
- Loiseau et al.; Multigram Synthesis of Well-Defined Extended Bifunctional Polyethylene Glycol (PEG) Chains; *J. of Organic Chem.*, vol. 69, No. 3 (2004), pp. 639-647; XP002345040.
- Mihai et al.; Application of Bronsted-type LFER in the study of phospholipase C mechanism; *J. Am. Chem. Soc.*, vol. 125, No. 11 (2003) pp. 3236-3242; XP002427799.
- Motupally et al., Recycling Chlorine from Hydrogen Chloride: A New and Economical Electrolytic Process, *The Electrochemical Society Interface*, Fall 1998.
- Nishikawa et al.; Ultrasonic Relaxations in Aqueous Solutions of Alcohols and the Balance Between Hydrophobicity and Hydrophilicity of the Solutes; *J. Phys. Chem.* vol. 97, No. 14 (1993), pp. 3539-3544; XP002427775.
- Prelog et al.; Chiral 2,2'-Polyoxaalkano-9,9'-Spirofluorene; *Helvetica Chimica Acta*, vol. 62, No. 7, (1979) pp. 2285-2302; XP002030901.
- Shimizu et al., Gas-Phase Electrolysis of Hydrobromic Acid Using PTFE-Bonded Carbon Electrode, *Int. J. Hydrogen Energy*, vol. 13, No. 6, pp. 345-349, 1988.
- Velzen et al., HBr Electrolysis in the Ispra Mark 13A Flue Gas Desulfurization Process: Electrolysis in a DEM Cell, *J. of Applied Electrochemistry*, vol. 20, pp. 60-68, 1990.
- Whitesides et al.; Nuclear Magnetic Resonance Spectroscopy. The Effect of Structure on Magnetic Nonequivalence Due to Molecular Asymmetry; *J. Am. Chem. Soc.*, vol. 86, No. 13 (1964), pp. 2628-2634; XP002427774.
- JLM Technology Ltd.; "The Miller GLS Technology for Conversion of Light Hydrocarbons to Alcohols"; *New Science for the Benefit of Humanity*; May 31, 2000; pp. 1-10.
- Jaumain, Denis and Su, Bao-Lian; "Direct Catalytic Conversion of Chloromethane to Higher Hydrocarbons Over Various Protonic and Cationic Zeolite Catalysts as Studied by in-situ FTIR and Catalytic Testing"; 2000; pp. 1607-1612; *Studies in Surface Science and Catalysis 130*; Elsevier Science B.V.
- Taylor, Charles E.; "Conversion of Substituted Methanes Over ZSM-Catalysts"; 2000; pp. 3633-3638; *Studies in Surface Science and Catalysis 130*; Elsevier Science B.V.
- ZSM-5 Catalyst; <http://chemelab.ucsd.edu/methanol/memos/ZSM-5.html>; Nov. 6, 2003; p. 1.
- Final Report; "Abstract"; <http://chemelab.ucsd.edu/methanol/memos/final.html>; May 9, 2004; pp. 1-7.
- Driscoll, Daniel J.; "Direct Methane Conversion"; Federal Energy Technology Center, U.S. Department of Energy; M970779; 2001; pp. 1-10.
- Olah et al.; "Selective Monohalogenation of Methane over Supported Acid or Platinum Metal Catalysts and Hydrolysis of Methyl Halides . . ."; *J. American Chemical Society* 1985, vol. 107; 0002-7863/85/1507-7097\$01.50/0; pp. 7097-7105.
- Murray et al.; "Conversion of Methyl Halides to Hydrocarbons on Basic Zeolites: A Discovery by in Situ NMR"; *J. American Chemical Society* 1993, vol. 115; pp. 4732-4741.
- Lorkovic et al.; "A Novel Integrated Process for the Functionalization of Methane and Ethane: Bromine as Mediator"; *Catalysis Today* 98; 2004; pp. 317-322.
- Lorkovic et al.; "C1 Oxidative Coupling via Bromine Activation and Tandem Catalytic Condensation over CaO/Zeolite Composites II . . ."; *Catalysis Today* 98; 2004; pp. 589-594.
- Olah et al.; "Antimony Pentafluoride/Graphite Catalyzed Oxidative Conversion of Methyl Halides with Copper Oxides (or Copper/Oxygen) to Dimethyl Ether"; *J. Org. Chem.* 1990, 55; 1990 American Chemical Society; pp. 4289-4293.
- Taylor, Charles E. et al.; "Direct Conversion of Methane to Liquid Hydrocarbons Through Chlorocarbon Intermediates"; 1988 Elsevier Science Publishers B.V. Amsterdam, Netherlands; pp. 483-489.
- Chang, Clarence D. et al.; "The Conversion of Methanol and Other O-Compounds to Hydrocarbons over Zeolite Catalysts"; *Journal of Catalysis* 47; 1977; Academic Press, Inc.; pp. 249-259.
- Zhou, Xiao-Ping et al.; "An Integrated Process for Partial Oxidation of Alkanes"; *Chem. Commun.* 2003; The Royal Society of Chemistry 2003; pp. 2294-2295.
- Sun, Shouli et al.; "A General Integrated Process for Synthesizing Olefin Oxides"; *Chem. Commun.* 2004; The Royal Society of Chemistry 2004; pp. 2100-2101.
- Lorkovic, Ivan M. et al.; "C1 Oxidative Coupling via Bromine Activation and Tandem Catalytic Condensation and Neutralization over CaO/Zeolite Composites II . . ."; *Catalysis Today* 98; 2004; pp. 589-594.
- Yilmaz, Aysen et al.; "Bromine Mediated Partial Oxidation of Ethane over Nanostructured Zirconia Supported Metal Oxide/Bromide"; *Microporous and Mesoporous Materials*, 79; 2005; pp. 205-214.
- Taylor, Charles E.; "PETC's On-Site Natural Gas Conversion Efforts"; Preprints of the Fuel Division, 208th National Meeting of the American Chemical Society, 39 (4); 1994; pp. 1228-1232.
- Ione et al.; "Syntheses of Hydrocarbons from Compounds Containing One Carbon Atom Using Bifunctional Zeolite Catalysts"; *Solid Fuel Chemistry (Khimiya Tverdogo Topliva)*; 1982; pp. 29-43; vol. 16, No. 6; Allerton Press. Inc.
- Olah, George A. et al.; "Hydrocarbons Through Methane Derivatives"; *Hydrocarbon Chemistry*; 1995; pp. 89-90; John Wiley & Sons, Inc.
- Akhrem, Irena S. et al.; "Ionic Bromination of Ethane and Other Alkanes (Cycloalkanes) with Bromine Catalyzed by the Polyhalomethane-2AIBr₃ Aprotic Organic Superacids Under Mild Conditions"; *Tetrahedron Letters*, vol. 36, No. 51, 1995; pp. 9365-9368; Pergamon; Great Britain.
- Smirnov, Vladimir V. et al.; "Selective Bromination of Alkanes and Arylalkanes with CBr₄"; *Mendelev Commun.* 2000; pp. 175-176.
- Olah, George A.; "Electrophilic Methane Conversion"; *Acc. Chem. Res.* 1987, 20; pp. 422-428; American Chemical Society, Loker Hydrocarbon Research Institute and Dept. of Chemistry; University of Southern California.
- Olah, George A. et al.; "Antimony Pentafluoride/Graphite Catalyzed Oxidative Carbonylation of Methyl Halides with Carbon Monoxide and Copper Oxides (or Copper/Oxygen) to Methyl Acetate"; *J. Org. Chem.* 1990, 55; pp. 4293-4297; Loker Hydrocarbon Research Institute and Dept. of Chemistry; University of Southern California.
- Bagno, Alessandro et al.; "Superacid-Catalyzed Carbonylation of Methane, Methyl Halides, Methyl Alcohol, and Dimethyl Ether to Methyl Acetate and Acetic Acid"; *J. Org. Chem.* 1990, 55; pp. 4284-4289; Loker Hydrocarbon Research Institute; University of Southern California.
- Olah, George A. et al.; "Onium Ylide Chemistry. I. Bifunctional Acid-Base-Catalyzed Conversion of Heterosubstituted Methanes

- into Ethylene and Derived Hydrocarbons. The Onium Ylide Mechanism of the C1-C2 Conversion"; *J. Am. Chem. Soc.* 1984, 106; pp. 2143-2149.
- Mochida, Isao et al.; "The Catalytic Dehydrohalogenation of Haloethanes on Solid Acids and Bases"; *Bulletin of the Chemical Society of Japan*, vol. 44; 1971; pp. 3305-3310.
- Richards, Ryan et al.; "Nanocrystalline Ultra High Surface Area Magnesium Oxide as a Selective Base Catalyst"; *Scripta Materialia*, 44; 2001; pp. 1663-1666; Elsevier Science Ltd.
- Sun, Naijian et al.; "Nanocrystal Metal Oxide—Chlorine Adducts: Selective Catalysts for Chlorination of Alkanes"; *J. Am. Chem. Soc.* 1999, 121; pp. 5587-5588; American Chemical Society.
- Mishakov, Ilya V. et al.; "Nanocrystalline MgO as a Dehydrohalogenation Catalyst"; *Journal of Catalysis* 206; 2002; pp. 40-48; Elsevier Science, USA.
- Wagner, George W. et al.; "Reactions of VX, GD, and HD with Nanosize CaO: Autocatalytic Dehydrohalogenation of HD"; *J. Phys. Chem. B* 2000, 104; pp. 5118-5123; 2000 American Chemical Society.
- Fenelonov, Vladimir B. et al.; "Changes in Texture and Catalytic Activity of Nanocrystalline MgO during Its Transformation to MgCl₂ in the Reaction with 1-Chlorobutane"; *J. Phys. Chem. B* 2001, 105; pp. 3937-3941; 2001 American Chemical Society.
- <http://webbook.nist.gov/>; "Welcome to the NIST Chemistry Web-Book"; 2005; U.S. Secretary of Commerce on Behalf of the United States of America.
- Claude, Marion C. et al.; "Monomethyl-Branching of Long n-Alkanes in the Range from Decane to Tetracosane on Pt/H-ZSM-22 Bifunctional Catalyst"; *Journal of Catalysis* 190; 2000; pp. 39-48.
- Thomas, J. M. et al.; "Synthesis and Characterization of a Catalytically Active Nickel-Silicoaluminophosphate Catalyst for the Conversion of Methanol to Ethene"; *Chem. Mater.*; 1991, 3; pp. 667-672; 1991 American Chemical Society.
- Thomas, John Meurig et al.; "Catalytically Active Centres in Porous Oxides: Design and Performance of Highly Selective New Catalysts"; *Chem. Commun.*; 2001; pp. 675-687.
- Lorkovic, Ivan et al.; "C1 Coupling via Bromine Activation and Tandem Catalytic Condensation and Neutralization over CaO/Zeolite Composites"; *Chem. Commun.*, 2004; pp. 566-567.
- Tamura, Masuhiko et al.; "The Reactions of Grignard Reagents with Transition Metal Halides: Coupling, Disproportionation, and Exchange with Olefins"; *Bulletin of the Chemical Society of Japan*, vol. 44.; Nov. 1971; pp. 3063-3073.
- Weissermel, Klaus et al.; "Industrial Organic Chemistry"; 3rd Edition 1997. pp. 160-162, and 208.
- Abstract of BE812868, Aromatic hydrocarbons prodn. from chlorinated hydrocarbons, Publication date: Sep. 27, 1974, esp@cenet database—worldwide.
- Abstract of BE814900, Volatile aromatic cpds. prodn., Publication date: Sep. 2, 1974, esp@cenet database—worldwide.
- Abstract of CN1199039, Pentanol and its production process, Publication date: Nov. 18, 1998, Inventor: Kailun, esp@cenet database—worldwide.
- Abstract of CN1210847, Process for producing low carbon alcohol by directly hydrating low carbon olefines, Publication date: Mar. 17, 1999, Inventor: Zhenguo et al., esp@cenet database—worldwide.
- Abstract of CN1321728, Method for preparing aromatic hydrocarbon and hydrogen gas by using low-pressure gas, Publication date: Nov. 14, 2001, Inventor: Jie et al., esp@cenet database—worldwide.
- Abstract of CN1451721, Process for non-catalytic combustion deoxidizing coal mine gas for producing methanol, Publication date: Oct. 29, 2003, Inventor: Pengwan et al., esp@cenet database—worldwide.
- Abstract of CN1623969, Method for preparing 1, 4-benzene dimethanol, Publication date: Jun. 8, 2005, Inventor: Jiarong et al., esp@cenet database—worldwide.
- Abstract of CN1657592, Method for converting oil to multiple energy fuel product, Publication date: Aug. 24, 2005, Inventor: Li, esp@cenet database—worldwide.
- Abstract of CN1687316, Method for producing biologic diesel oil from rosin, Publication date: Oct. 26, 2005, Inventor: Jianchun et al., esp@cenet database—worldwide.
- Abstract of CN1696248, Method for synthesizing biologic diesel oil based on ion liquid, Publication date: Nov. 16, 2005, Inventor: Sun, esp@cenet database—worldwide.
- Abstract of CN1699516, Process for preparing bio-diesel-oil by using microalgae fat, Publication date: Nov. 23, 2005, Inventor: Miao, esp@cenet database—worldwide.
- Abstract of CN1704392, Process for producing alkylbenzene, Publication date: Dec. 7, 2005, Inventor: Gao, esp@cenet database—worldwide.
- Abstract of CN1724612, Biological diesel oil catalyst and method of synthesizing biological diesel oil using sai catalyst, Publication date: Jan. 25, 2006, Inventor: Gu, esp@cenet database—worldwide.
- Abstract of CN1986737, Process of producing biodiesel oil with catering waste oil, Publication date: Jun. 27, 2007, Inventor: Chen, esp@cenet database—worldwide.
- Abstract of CN100999680, Esterification reaction tech. of preparing biodiesel by waste oil, Publication date: Jul. 18, 2007, Inventor Weiming, esp@cenet database—worldwide.
- Abstract of CN101016229, Refining method for bromomeoamyl alcohol, Publication date: Aug. 15, 2007, Inventor: Tian, esp@cenet database—worldwide.
- Abstract of DE3209964, Process for the preparation of chlorinated hydrocarbons, Publication date: Nov. 11, 1982, Inventor: Pyke et al., esp@cenet database—worldwide.
- Abstract of DE3210196, Process for the preparation of a monochlorinated olefin, Publication date: Jan. 5, 1983, Inventor: Pyke et al., esp@cenet database—worldwide.
- Abstract of DE3226028, Process for the preparation of monochlorinated olefin, Publication date: Feb. 3, 1983, Inventor: Pyke et al., esp@cenet database—worldwide.
- Abstract of DE3334225, Process for the preparation of 1, 2-dichloroethane, Publication date: Apr. 4, 1985, Inventor: Hebgen et al., esp@cenet database—worldwide.
- Abstract of DE4232056, 2,5-Di:methyl-hexane-2, 5-di:ol continuous prodn. from tert. butanol—by oxidative dimerisation in two phase system with vigorous stirring, using aq. phase with specified density to facilitate phase sepn., Publication date: Mar. 31, 1994, Inventor: Gnann et al., esp@cenet database—worldwide.
- Abstract of DE4434823, Continuous prodn. of hydroxy-benzyl alkyl ether, Publication date: Apr. 4, 1996, Inventor: Stein et al., esp@cenet database—worldwide.
- Abstract of FR2692259, Aromatisation of 2-4C hydrocarbons—using a fixed-mobile-catalytic bed process, Publication date: Dec. 17, 1993, Inventor: Alario et al., esp@cenet database—worldwide.
- Abstract of FR2880019, Manufacturing 1, 2-dichloroethane, comprises cracking core hydrocarbonated source, separating into fractions, sending into chlorination reaction chamber and oxychlorination reaction chamber and separating from chambers, Publication date: Jun. 30, 2006, Inventor: Strebelle et al., esp@cenet database—worldwide.
- Abstract of FR2883870, Formation of 1, 2-dichloroethane useful in manufacture of vinyl chloride involves subjecting mixture of cracking products obtained by cracking of hydrocarbon source, to a succession of aqueous quenching, alkaline washing, and oxidation steps, Publication date: Oct. 6, 2006, Inventor: Balthasart et al., esp@cenet database—worldwide.
- Abstract of FR2883871, Preparing 1, 2-dichloroethane comprises cracking hydrocarbon to form mixture, sending mixture into storage reservoir, supplying mixture into chlorination and/or oxychlorination reactor, and separating 1, 2-dichloroethane from reactor, Publication date: Oct. 6, 2006, Inventor: Balthasart et al., esp@cenet database—worldwide.
- Abstract of IT1255246, Process for the preparation of dinitrodiphenylmethanes, Publication date: Oct. 20, 1995, Applicant: Enichem Spa et al., esp@cenet database—worldwide.
- Abstract of IT1255358, Process for the synthesis of 1, 4-butanediol, Publication date: Oct. 31, 1995, Inventor: Marco, esp@cenet database—worldwide.
- Abstract of JP2142740, Production of fluoroalcohol, Publication date: May 31, 1990, Inventor: Tsutomu et al., esp@cenet database—worldwide.

- Abstract of JP2144150, Chemical process and catalyst used therefore, Publication date: Jun. 1, 1990, Inventor: Deidamusu et al., esp@cenet database—worldwide.
- Abstract of JP4305542, Production of halogenated hydrocarbon compounds, Publication date: Oct. 28, 1992, Inventor: Shinsuke et al., esp@cenet database—worldwide.
- Abstract of JP6172225, Method for fluorinating halogenated hydrocarbon, Publication date: Jun. 21, 1994, Inventor: Takashi et al., esp@cenet database—worldwide.
- Abstract of JP6206834, Production of tetrachloroethanes, Publication date: Jul. 26, 1994, Inventor: Toshiro et al., esp@cenet database—worldwide.
- Abstract of JP8266888, Method for decomposing aromatic halogen compound, Publication date: Oct. 15, 1996, Inventor: Yuuji et al., esp@cenet database—worldwide.
- Abstract of JP2001031605, Production of 3-hydroxy-1-cycloalkene, Publication date: Feb. 6, 2001, Inventor: Hideo et al., esp@cenet database—worldwide.
- Abstract of JP2004075683, Method for producing optically active halogenohydroxypropyl compound and glycidyl compound, Publication date: Mar. 11, 2004, Inventor: Keisuke et al., esp@cenet database—worldwide.
- Abstract of JP2004189655, Method for fluorinating with microwave, Publication date: Jul. 8, 2004, Inventor: Masaharu et al., esp@cenet database—worldwide.
- Abstract of JP2005075798, Method for Producing adamantyl ester compound, Publication date: Mar. 24, 2005, Inventor: Norihiro et al., esp@cenet database—worldwide.
- Abstract of JP2005082563, Method for producing 1, 3-adamantanediol, Publication date: Mar. 31, 2005, Inventor: Norihiro et al., esp@cenet database—worldwide.
- Abstract of JP2005145977, Process for catalytically oxidizing olefin and cycloolefin for the purpose of forming enol, olefin ketone, and epoxide, Publication date: Jun. 9, 2005, Inventor: Cancheng et al., esp@cenet database—worldwide.
- Abstract of JP2005254092, Method of manufacturing alkynes, Publication date: Sep. 22, 2005, Inventor: Shirakawa Eiji, esp@cenet database—worldwide.
- Abstract of JP2006151892, Preparation method of alcohol derivative, Publication date: Jun. 15, 2006, Inventor: Baba Akio et al., esp@cenet database—worldwide.
- Abstract of JP2006152263, Organic-inorganic hybrid-type mesoporous material, method for producing the same, and solid catalyst, Publication date: Jun. 15, 2006, Inventor: Junko et al., esp@cenet database—worldwide.
- Abstract of JP2006193473, Aryl polyadamantane derivative having carboxy or acid anhydride group and method for producing the same, Publication date: Jul. 27, 2006, Inventor: Yasuto et al., esp@cenet database—worldwide.
- Abstract of JP2006231318, Phosphorus containing macromolecule immobilizing palladium catalyst and method for using the same, Publication date: Sep. 7, 2006, Inventor: Osamu et al., esp@cenet database—worldwide.
- Abstract of JP2006263567, Optical resolution method of optical isomer and optical resolution device, Publication date: Oct. 5, 2006, Inventor: Yoshikazu et al., esp@cenet database—worldwide.
- Abstract of JP2006265157, Method for catalytically activating silycated nucleating agent using phosphazene base, Publication date: Oct. 5, 2006, Inventor: Yoshinori et al., esp@cenet database—worldwide.
- Abstract of JP2006306758, Method for producing biaryl compound, Publication date: Nov. 9, 2006, Inventor: Yuji et al., esp@cenet database—worldwide.
- Abstract of JP2007001942, Production method of para-xylene, Publication date: Jan. 11, 2007, Inventor: Kazuyoshi, esp@cenet database—worldwide.
- Abstract of JP2007015994, Method for synthesizing organic compound in ultra high rate under high temperature and high pressure water, and system of high temperature and high pressure reaction, Publication date: Jan. 25, 2007, Inventor: Hajime et al., esp@cenet database—worldwide.
- U.S. Office Action from U.S. Appl. No. 10/826,885 dated Oct. 31, 2005.
- U.S. Office Action from U.S. Appl. No. 10/826,885 dated Apr. 19, 2006.
- U.S. Office Action from U.S. Appl. No. 10/826,885 dated Jul. 27, 2006.
- U.S. Office Action from U.S. Appl. No. 10/826,885 dated Nov. 2, 2006.
- U.S. Office Action from U.S. Appl. No. 10/826,885 dated Jan. 24, 2007.
- U.S. Office Action from U.S. Appl. No. 11/101,886 dated Jan. 24, 2007.
- U.S. Office Action from U.S. Appl. No. 11/254,438 dated Jan. 24, 2007.
- U.S. Office Action from U.S. Appl. No. 11/254,438 dated Nov. 1, 2007.
- U.S. Office Action from U.S. Appl. No. 10/893,418 dated Jan. 2, 2008.
- U.S. Office Action from U.S. Appl. No. 10/893,418 dated Jun. 14, 2007.
- U.S. Office Action from U.S. Appl. No. 11/091,130 dated Oct. 3, 2007.
- U.S. Office Action from U.S. Appl. No. 10/365,346 dated Jun. 12, 2006.
- U.S. Office Action from U.S. Appl. No. 11/103,326 dated Aug. 31, 2007.
- U.S. Office Action from U.S. Appl. No. 11/103,326 dated Dec. 6, 2006.
- U.S. Office Action from U.S. Appl. No. 11/098,997 dated Nov. 20, 2008.
- U.S. Office Action from U.S. Appl. No. 12/215,326 dated Feb. 10, 2009.
- U.S. Office Action from U.S. Appl. No. 10/430,240 dated Mar. 6, 2006.
- U.S. Office Action from U.S. Appl. No. 10/369,148 dated Oct. 16, 2006.
- U.S. Office Action from U.S. Appl. No. 10/369,148 dated Mar. 14, 2006.
- U.S. Office Action from U.S. Appl. No. 10/894,165 dated Aug. 16, 2006.
- U.S. Office Action from U.S. Appl. No. 12/080,594 dated Dec. 22, 2008.
- U.S. Office Action from U.S. Appl. No. 11/703,358 dated Jun. 11, 2008.
- International Search Report for PCT/US06/010854 dated Jul. 25, 2006.
- International Search Report for PCT/US04/023036 dated Jan. 19, 2005.
- Office Action from U.S. Appl. No. 12/080,594 dated Jul. 7, 2009.

HYDROCARBON SYNTHESIS**CROSS-REFERENCE TO RELATED APPLICATION(S)**

This application is a continuation of U.S. patent application Ser. No. 10/893,418, filed Jul. 15, 2004, now abandoned which claims the benefit of U.S. Provisional Patent Application No. 60/487,364, filed Jul. 15, 2003. The disclosures of both applications are incorporated by reference herein as if set forth in their entirety.

FIELD OF THE INVENTION

This invention relates generally to hydrocarbon oligomerization, and more particularly to a method of making hydrocarbons using cataloreactants.

BACKGROUND OF THE INVENTION

Scientists have long sought efficient ways to convert methane and other alkanes into higher hydrocarbons, including light olefins and gasoline-range materials. Efficient processes could create value in a number of ways, including: facilitating the utilization of remotely located stranded natural gas through its conversion into more easily transportable liquid fuels and feedstocks, and allowing the use of inexpensive feedstocks (methane and other lower alkanes) for end products often made from higher alkanes, including ethylene and propylene.

U.S. Pat. Nos. 6,486,368, 6,472,572, 6,465,699, 6,465,696, and 6,462,243 disclose processes for converting alkanes into olefins, ethers, and alcohols. Many of the disclosed processes involve halogenation of an alkane, passing the halogenated products over a metal oxide to create products and metal halide, recovering the product(s), and regenerating the metal halide with oxygen or air to yield metal oxide and halogen for recycle to the process. Not described is alkane oligomerization: substantial coupling of the starting hydrocarbon to obtain product(s) of higher carbon number.

Several investigators have examined the use of halogenation for the production of higher hydrocarbons from methane. Representative patents include U.S. Pat. No. 4,513,092 (Chu), U.S. Pat. No. 4,769,504 (Noceti and Taylor), U.S. Pat. No. 5,087,786 (Nubel), and U.S. Pat. No. 6,452,058 (Schweitzer). As described in the Taylor patent: "Aromatic-rich, gasoline boiling range hydrocarbons [are made] from the lower alkanes, particularly from methane. The process is carried out in two stages. In the first, alkane is reacted with oxygen and hydrogen chloride over an oxyhydrochlorination catalyst such as copper chloride with minor proportions of potassium chloride and rare earth chloride. This produces an intermediate gaseous mixture containing water and chlorinated alkanes. The chlorinated alkanes are contacted with a crystalline aluminosilicate catalyst in the hydrogen or metal-promoted form to produce gasoline range hydrocarbons with a high proportion of aromatics and a small percentage of light hydrocarbons (C₂-C₄), as well as reforming the HCl. The light hydrocarbons can be recycled for further processing over the oxyhydrochlorination catalyst." All of these techniques for making higher alkanes from C₁ feedstocks suffer from the disadvantage that the hydrocarbon stream must be separated from an aqueous hydrohalic acid stream, and the hydrohalic acid stream must be recycled.

U.S. Pat. No. 4,795,843 (Tomotsu et al.) discloses a process for oligomerizing halomethanes to products including ethyl benzene, toluene, and xylenes, using silica polymorph or

silicalite catalysts. The process does not incorporate reactive neutralization of hydrogen halide, and appears to suffer from slow kinetics.

In a process for halogenating hydrocarbons, Chang and Perkins noted trace amounts of oligomerization products in the presence of zeolites in U.S. Pat. No. 4,654,449. The oligomerization products were low in quantity, and generally halogenated.

U.S. Pat. No. 4,373,109 (Olah) discloses a process for converting heterosubstituted methanes, including methyl halides, by contacting such methanes with bifunctional acid-base catalysts at elevated temperatures, between 200 and 450 C, preferably between 250 and 375 C, to produce predominantly lower olefins, preferably ethylene and propylene. The catalysts of preference are those derived from halides, oxyhalides, oxides, sulfides or oxysulfides of transition metals of Groups IV, V, VI, VIII of the Periodic Table, such as tantalum, niobium, zirconium, tungsten, titanium, and chromium, deposited on acidic oxides and sulfides such as alumina, silica, zirconia or silica-alumina. Neither the use of solid oxide-based halogen recovery nor the formation of alcohols or ethers is disclosed. A related reference is "Ylide chemistry. 1. Bifunctional acid-base-catalyzed conversion of heterosubstituted methanes into ethylene and derived hydrocarbons. The onium-ylide mechanism of the C1→C2 conversion" by George A. Olah et al. (J. Am. Chem. Soc. 106, 2143 (1984)).

U.S. Pat. No. 3,894,107 (Butter, et al.) discloses improvements to a process for condensing halogenated hydrocarbons using zeolite catalysts. Notably absent is any discussion of solid oxide-based hydrogen halide neutralization.

Kochi has observed reductive coupling of alkyl halides when transition metal bromides are reacted with low-molecular weight Grignard reagents in THF or diethyl ether (Bulletin of the Chemical Society of Japan v. 44 1971 pp. 3063-73). Liquid phase chemistry, however, typically suffers from such disadvantages as the requirement of solvent, corrosion, and lower rates of reaction than gas-phase chemistry. In addition, such a process consumes energy required to produce the magnesium metal needed for the energetic and reducing Grignard reagents. This is not the same type of process as the dehydrohalogenative coupling and hydrogen halide neutralization we describe herein.

SUMMARY OF THE INVENTION

The present invention addresses the need for an efficient way to convert methane and other hydrocarbons into higher hydrocarbons. In one embodiment, a hydrocarbon having a carbon number C_n, where n≥2, is prepared by allowing a reactant hydrocarbon having a carbon number C_m, where m<n, to react with a halogenating agent, thereby forming a halogenated hydrocarbon; allowing the halogenated hydrocarbon to contact a metal-oxygen cataloreactant, thereby forming a product hydrocarbon having a carbon number C_n, where n≥2; recovering the product hydrocarbon; and regenerating the cataloreactant. Often, a mixture of hydrocarbons is obtained, but careful selection of the reactant hydrocarbon, halogenating agent, metal-oxygen cataloreactant, and reaction conditions allow a tailored approach to hydrocarbon product formation. Methane (i.e., natural gas) as well as other light hydrocarbons, e.g., C₂ to C₆ hydrocarbons, are envisioned as preferred feedstocks.

Although laboratory observations have thus far focused on methane oligomerization with detection of ethylene, propylene, butenes and aromatics, the invention contemplates the use of feedstocks having carbon numbers as high as C₁₀.

DETAILED DESCRIPTION OF THE INVENTION

The present invention exploits the discovery that metal-oxygen compounds, such as mixed metal oxides, particularly metal oxide-impregnated zeolites, facilitate hydrocarbon oligomerization. According to one aspect of the invention, a hydrocarbon having a carbon number C_n , where $n \geq 2$, is formed by (i) forming a halogenated hydrocarbon by allowing a reactant hydrocarbon having a carbon number C_m , where $m < n$, to react with a halogenating agent; (ii) forming a product hydrocarbon having a carbon number C_n , where $n \geq 2$, by allowing the halogenated hydrocarbon to contact a metal-oxygen cataloreactant; (iii) recovering the product hydrocarbon; and (iv) regenerating the cataloreactant.

More generally, the method entails the steps of halogenation, oligomerization, product recovery, and cataloreactant regeneration. The halogenated products may be separated from the unreacted (non-halogenated) hydrocarbon either before or after reaction with the metal-oxygen cataloreactant. Neutralization of any hydrohalic acid formed during the synthesis is advantageously accomplished concomitantly with carbon-carbon coupling and/or cataloreactant regeneration. Preferably, the process is an integrated one and takes place, for example, in a zone reactor, as described, for example, in U.S. Pat. No. 6,525,230 (Grosso), the entire contents of which is incorporated by reference herein. Thus, halogenation of methane or other hydrocarbons occurs within one zone of the reactor, and is followed by a condensation step in which the liberated hydrohalic acid is adsorbed within the same bifunctional material that catalyzes condensation of the halogenated hydrocarbon. Hydrocarbon oligomerization (defined as carbon-carbon coupling) takes place within this zone of the reactor and yields product hydrocarbons which, in general, will have carbon numbers ranging from C_2 to C_{20} , and may include alkanes, alkenes, alkynes, and/or aromatics. Treatment with air or oxygen liberates halogen for use in subsequent halogenation steps, and regenerates the cataloreactant material for subsequent condensation or metathesis. Advantageously, the need for recycling/recovering corrosive, aqueous hydrohalic acid is avoided because regeneration and recovery takes place in situ.

Higher hydrocarbon synthesis begins with a hydrocarbon feedstock: one or more reactant hydrocarbons, each having, independently, a carbon number C_m , where $m < n$, C_n being the carbon number of the target hydrocarbon(s). Non-limiting examples of reactant hydrocarbons include methane, ethane, propane, etc., with natural gas (predominately methane, but often including small amounts of C_2 and higher species) being preferred. In general, the starting hydrocarbon has a carbon number between 1 and 10. Mixtures of hydrocarbons may also be used.

The reactant hydrocarbons are allowed to react with a halogenating agent. Non-limiting examples include molecular halogen (e.g., bromine, chlorine, etc.), alkyl halides (e.g., dibromomethane, bromoform, carbon tetrabromide), and condensed halides, such as metal bromides, which may be present as a solid, liquid, supported, or unsupported material.

Molecular halogens are preferred, with bromine (Br_2) being most preferred. Bromine is a liquid at room temperature, less reactive than chlorine and fluorine, and easy to handle. Bromine also has favorable energetics.

The reduction potential of bromine to bromide is 1.07 V vs. NHE, while that of oxygen to water is 1.23 V. A broad range of metal bromides may release bromine upon treatment with oxygen. At the same time, alkane bromination and subsequent alkyl bromide coupling and HBr neutralization are only mildly exothermic, but spontaneous enough to go to comple-

tion. Water and coupled hydrocarbons are the only fluid products. The same is not true with chlorine as mediator, for which HCl is a major component of the product stream. Hydrogen chloride production requires separation, drying, and recycling, which is costly. In short, the thermochemistry of metal bromide-mediated alkane partial oxidation is well-suited for efficient and inexpensive plant operation.

Halogenation of the reactant hydrocarbon may proceed in a number of ways, depending in part on the desired product(s) and in part on the feed. In one embodiment, an alkane is halogenated with molecular halogen using heat, light, or other electromagnetic radiation to drive the reaction, with heat being preferred. There is some benefit in having all steps—halogenation, oligomerization, and regeneration (described below)—occur at roughly the same temperature. As typical temperatures for methanol to olefin (MTO) and methanol to gasoline (MTG) processes, temperatures of from 375 to 450° C. are utilized, with the range being important, if not critical. For the carbon-carbon coupling process described herein, an ideal temperature range, where all steps occur at roughly the same temperature, is 450 to 550° C. Alternatively, individual reaction steps might be carried out at temperatures above or below this range.

Halogenation preferably occurs at a pressure between 0.1 and 200 atm, for the subsequent carbon-carbon step. Low pressure favors less carbon-carbon coupling (i.e., a smaller average molecular weight of product), while high pressure favors higher coupling. Processes for light olefins are likely to run at the same 60 to 200 psia that methanol to olefin (MTO) processes are run at, although higher pressures may alternatively be utilized. For production of gasoline-range molecules, pressures around 350 psia, as used in methanol to gasoline (MTG) processes, are envisioned. As a practical matter, running below atmospheric (more conservatively, below 2 psia) or above 100 atm is unlikely.

When molecular halogen is used as the halogenating agent, halogenation ideally is carried out at an alkane:halogen ratio of between 1:10 and about 100:1, on a volume by volume basis. At alkane:halogen ratios of less than 1:10 (i.e., more halogen), multi-halogenated hydrocarbons will be formed, typically leading to complete oxidation (i.e., CO_2) upon subsequent contact with the metal-oxygen cataloreactant. At alkane:halogen ratios higher than 100:1, the conversion to a halogenated hydrocarbon will be too low, perhaps 1% or less, and it is nearly impossible to imagine an economical process at such conversion levels. (30-60% conversion are more likely lower limits).

Altering the ratio of halogen to alkane or other hydrocarbon feedstock may have a marked impact on product distribution. For example, one may choose to control the degree of halogenation in order to reduce aromatic formation in the production of lower olefins or fuels. A second example is minimizing formation of highly halogenated methane in order to reduce the formation of alkynes.

A key feature of the invention is the use of a metal-oxygen cataloreactant, which facilitates carbon-carbon coupling, i.e., hydrocarbon oligomerization. The term "metal-oxygen cataloreactant" is used herein to refer to a cataloreactant material containing both metal and oxygen. While not bound by theory, it is believed that the material catalyzes carbon-carbon coupling via hydrogen halide (e.g., HBr) elimination and alkyldiene insertion into cationically activated C—H and possibly C—C bonds. The cataloreactant also acts as a halogen release and sequestering agent, and offers the possibility of obtaining a tunable coupling product distribution, including the ability to produce oxygenates if desired, while simul-

taneously trapping and recovering halogen, emitting only water as a byproduct. Treatment with air or oxygen regenerates the cataloreactant.

Nonlimiting examples of metal-oxygen cataloreactants include zeolites, doped zeolites, metal oxides, mixed metal oxides, metal oxide-impregnated zeolites, and similar materials, as well as mixtures of such materials. Nonlimiting examples of dopants include calcium and magnesium, and their oxides and/or hydroxides.

Zeolites are available from a variety of sources, including Zeolyst International (Valley Forge, Pa.). Specific examples include doped-ZSM-5 and doped mordenite (where, e.g., calcium and/or magnesium are the dopants).

Shifting the properties of the zeolite or zeolite component of a zeolite/metal oxide composite is also expected to shift product distribution. Pore size and acidity are particularly expected to be important. Acidity may be used to control chain length and functionality, and pore size may control chain length and functionality. Zeolites of particular pore-size may selectively produce benzene, toluene, para-xylene, ortho-xylene, meta-xylene, mixed xylenes, ethyl benzene, styrene, linear alkyl benzene, or other aromatic products. The use of pore size is not limited to aromatic products.

In one embodiment of the invention, a metal oxide/zeolite composite is prepared by mixing a zeolite with a metal nitrate (e.g., calcium nitrate) or hydrated species thereof.

After oligomerization, the metal-oxygen cataloreactant is regenerated by treatment with air or oxygen, typically at a temperature of from 200 to 900° C. This converts metal halide species into metal-oxygen species.

A number of variables, including feed composition, feed location in the reactor, temperature, pressure, metal oxide composition, and reactor residence time may alter the product distribution. Production of alkanes, olefins and aromatics from methane has been detected and confirmed. Also expected is the ability to produce alkanes and olefins of particular branching (including mono-methyl branched alcohols), alcohols, diols, ethers, halogenated hydrocarbons, aromatics including benzene, styrene, ethyl benzene, toluene, xylenes, and linear alkyl benzenes, and hydrocarbons suitable for fuels such as gasoline, diesel, and jet fuel.

Control of the feed composition can control the product distribution. First, hydrogen halide produced in the halogenation may be neutralized (to form water or alcohol) with the same metal-oxygen compound producing the hydrocarbon product(s), or with a separate metal-oxygen compound in a distinct reactor. Shifting the hydrogen halide neutralization location may shift the product distribution, including functionality, chain length, and branching. For example, concurrent neutralization and product formation may be expected to drive the production of alcohols, which may or may not undergo further reactions such as coupling or dehydration. Second, water addition to the feed may shift product distribution. In particular, the addition of water may favor alcohol products. The addition of water may also control degree and type of branching and chain length. Third, hydrogen addition may alter the product distribution. Hydrogen may increase alkanes at the expense of other functionalities, something particularly useful for producing fuels. Hydrogen may also reduce coking and help control the chain length and branching.

It will also be appreciated that carbon-carbon oligomerization may proceed by a number of pathways. Even single-hydrocarbon feedstocks may yield more than one product. On the other hand, in one embodiment of the invention, controlled halogenation is used to produce predominately one isomer in favor of another (e.g., selective formation of

1-butene or 2-butene). Mixed feedstocks, such as raw natural gas, may give rise to oligomerization of multiple halogenated hydrocarbons (e.g., ethyl halide, dihaloethane, methyl halide, methyl dihalide, propyl halide, propyl dihalide, etc.). Indeed, in one embodiment of the invention, an alkyl halide is purposefully introduced to create desired branched products. An example would be oligomerization of methyl halide (from methane) with ethyl halide or a higher alkyl halide to produce, selectively, methyl, ethyl, propyl, isopropyl, or tertiary butyl (or other) branching. Another example might be the synthesis of styrene from ethyl halide, methyl halide, and dihalomethane.

In one embodiment of the invention, the reaction of halogenated hydrocarbon with a metal-oxygen cataloreactant takes place in a fluidized bed. Alternatively, a fixed bed is employed. Different alkyl halides may be introduced at different locations in the reactor. One example is the introduction of methyl halides at one location in a reactor to produce benzene, to which ethyl halides are added, producing styrene or ethyl benzene. Another example is the introduction of methyl halides at one location in a reactor to produce benzene, to which alkyl halides are added, producing linear alkyl benzene.

Product separation is accomplished by any suitable method. Nonlimiting examples include distillation, adsorption, and extraction. Product(s) may be recovered from the solid by stripping with steam, carbon dioxide, or other means.

The following are nonlimiting examples of the invention:

EXAMPLE 1

Metal Oxide/Zeolite composite MZ1 was prepared as follows: A solid mixture of a ZSM-5-type zeolite (Zeolyst CBV 8014, Si/Al ratio=80, 10 g, 170 mmoles SiO₂) and CaNO₃ nonahydrate (9 g, =34 mmoles Ca) was prepared and water was added to incipient wetness. After CaNO₃ dissolution and stirring, the slurry was dried and calcined in sequence at 115 C (overnight) and 500 C (overnight), respectively, in air.

EXAMPLE 2

Methane at 15 psia was bubbled through bromine at 1° C. at a rate of 5 cc/min. The resulting stream of bromine and methane (1:10 by mole) was passed through a small diameter bromination reactor at 450° C. (1000 h⁻¹) and the mixture of CH_{4-x}Br_x (x=0, 1, 2, 3) passed into a reactor containing 5 g of metal oxide/zeolite composite MZ1 (400 C). The output stream from the second reactor contained no brominated products. Based on the methane consumed in the bromination reactor, 10% ethylene, 31% propylene, 3% propane, and 1% butanes/butenes were detected; 65% overall. Trace amounts of C₆ species were also detected. After reaction for 5 hours, during which the stream output did not change from the distribution described above, the methane stream was discontinued and the reactor was purged with helium at 5 cc/min for 10 minutes. After He purge, a flow of O₂ (2 cc/min) into the second reactor was initiated at 525 C to regenerate the metal oxide from the metal bromide of the partially spent composite. Initially only water and CO₂ were observed as products, but abruptly the stream contents changed to Br₂ and unreacted O₂. After 1 hour, the O₂ purge was discontinued and the reactor was again purged with helium. The caustic trap used during regeneration was tested for CO₃⁻² and 1.0 mmol was found, representing 24% of the converted carbon. The remainder of carbon was found to be higher boiling volatile aromatics (mostly toluene, xylenes and mesitylenes). A second cycle of bromomethanes condensation as described

above was initiated at 400° C. and the product distribution was found to be identical to the first run. Three more cycles of condensation/neutralization/regeneration produced the same output of higher hydrocarbons.

EXAMPLE 3

A doped mordenite (Zeolyst CBV 21A, doped with both Ca and Mg) (5 g) was prepared according to Example 1, and used as the cataloreactant in a hydrocarbon synthesis substantially similar to that described above in Example 2. The product output was 30% ethylene, 5% ethane, 10% propylene, 3% propane, 5% butanes/butenes. Multiple runs and cataloreactant regeneration established reproducibility.

The invention has been described by reference to various examples and preferred embodiments, but is not limited thereto. Other modifications and substitutions can be made without departing from the scope of the invention. For example, the oligomerization processes described herein are also intended to encompass halogenation of olefin feedstocks using a hydrogen halide (e.g., HBr) or molecular halogen; halogenation of acetylenes (alkynes) using hydrogen halide or molecular halogen; halogenation of alcohols or ethers using hydrogen halide or molecular halogen; and halogenation of alkanes using molecular halogen and a catalyst that controls the halogenation. Specifically, the catalyst may control one or both of the degree of halogenation (number of halogens per molecule) and the position of halogenation (e.g. terminal vs. internal halogenation for a long chain alkane). Other modifications may be made as well. The invention is limited only by the appended claims and equivalents thereof.

What is claimed is:

1. A method of making a hydrocarbon having a carbon number C_n , where $n \geq 2$, comprising:

forming a halogenated hydrocarbon by allowing a reactant hydrocarbon having a carbon number C_m , where $m < n$, to react with a halogenating agent;

forming a hydrogen halide and a product hydrocarbon having a carbon number C_n , where $n \geq 2$, by allowing the halogenated hydrocarbon to contact a metal-oxygen cataloreactant;

trapping halogen from the hydrogen halide with the metal-oxygen cataloreactant;

recovering the product hydrocarbon; and
regenerating the metal-oxygen cataloreactant to recover the halogen.

2. A method as recited in claim 1, wherein the reactant hydrocarbon comprises methane.

3. A method as recited in claim 1, wherein the metal-oxygen cataloreactant is selected from the group consisting of zeolites, doped zeolites, metal oxides, mixed metal oxides, metal oxide-impregnated zeolites, and mixtures thereof.

4. A method as recited in claim 1, wherein the metal-oxygen cataloreactant is regenerated with air or oxygen.

5. A method as recited in claim 1, wherein formation of the product hydrocarbon is carried out in a zone reactor.

6. A method as recited in claim 1, wherein the halogenating agent comprises molecular halogen.

7. A method as recited in claim 1, wherein the halogenating agent comprises bromine.

8. A method as recited in claim 1, wherein the halogenating agent comprises an alkyl halide.

9. A method as recited in claim 1, wherein the halogenating agent comprises a solid halide.

10. A method as recited in claim 1, wherein the halogenating agent comprises a hydrogen halide.

11. A method of making a hydrocarbon having a carbon number C_n , where $n \geq 2$, comprising:

forming hydrogen bromide and a brominated hydrocarbon by allowing a reactant hydrocarbon having a carbon number C_m , where $m < n$, to react with a brominating agent;

forming a product hydrocarbon having a carbon number C_n , where $n \geq 2$, by allowing the brominated hydrocarbon to contact a metal-oxygen cataloreactant;

trapping bromine from the hydrogen bromide with the metal-oxygen cataloreactant;

recovering the product hydrocarbon; and

regenerating the metal-oxygen cataloreactant to recover the bromine.

12. A method as recited in claim 11, wherein the reactant hydrocarbon comprises methane.

13. A method as recited in claim 11, wherein the metal-oxygen cataloreactant is selected from the group consisting of zeolites, doped zeolites, metal oxides, mixed metal oxides, metal oxide-impregnated zeolites, and mixtures thereof.

14. A method as recited in claim 11, wherein the metal-oxygen cataloreactant is regenerated with air or oxygen.

15. A method as recited in claim 11, wherein formation of the product hydrocarbon is carried out in a zone reactor.

16. A method as recited in claim 11, wherein the brominating agent is selected from the group consisting of bromine, alkyl bromides, solid bromides, and hydrogen bromide.

17. A method of making a hydrocarbon having a carbon number C_n , where $n \geq 2$, comprising:

(i) forming a hydrogen halide and an alkyl halide by allowing a reactant alkane having a carbon number C_m , where $m < n$, to react with molecular halogen;

(ii) forming a product hydrocarbon having a carbon number C_n , where $n \geq 2$, by allowing the alkyl halide to contact a metal-oxygen cataloreactant;

(iii) trapping halogen from the hydrogen halide with the metal-oxygen cataloreactant;

(iv) recovering the product hydrocarbon; and

(v) regenerating the metal-oxygen cataloreactant with air or oxygen to recover the halogen.

18. A method as recited in claim 17, wherein the reactant alkane comprises methane.

19. A method as recited in claim 17, wherein the molecular halogen comprises bromine.

20. A method as recited in claim 17, wherein step (i) occurs at an alkane-to-halogen ratio of from 1:10 to 100:1 by volume.

21. A method as recited in claim 19, wherein step (i) occurs at a temperature of from 20 to 900° C. and a pressure of from 0.1 to 200 atm.

22. A method as recited in claim 17, wherein the metal-oxygen cataloreactant is selected from the group consisting of zeolites, doped zeolites, metal oxides, mixed metal oxides, metal oxide-impregnated zeolites, and mixtures thereof.

23. A method as recited in claim 17, wherein steps (i)-(v) take place in a zone reactor.

24. A method of making a hydrocarbon having a carbon number C_n , where $n \geq 2$, comprising:

(i) forming hydrogen bromide and an alkyl bromide by allowing methane to react with molecular bromine, at a temperature of from 20 to 900° C., a pressure of from 0.1 to 200 atm, and a methane-to-bromine ratio of from 1:10 to 100:1 by volume;

(ii) forming a product hydrocarbon having a carbon number C_n , where $n \geq 2$, by allowing the alkyl bromide to contact a doped zeolite;

9

(iii) trapping bromine from the hydrogen bromide with the doped zeolite;

(iv) recovering the product hydrocarbon; and

(v) regenerating the doped zeolite with air or oxygen to recover the bromine; wherein steps (i)-(v) occur in a zone reactor.

25. A method of making a product hydrocarbon comprising:

reacting a halogenating agent with a reactant hydrocarbon having a carbon number C_m , where $m < n$, to form a halogenated hydrocarbon;

10

contacting the halogenated hydrocarbon with a metal-oxygen cataloreactant to catalyze formation of a product hydrocarbon having a carbon number C_n , where $n \geq 2$, while halogenating the cataloreactant to form a halogenated cataloreactant;

recovering the product hydrocarbon;

reacting the halogenated cataloreactant with oxygen or air to regenerate the cataloreactant and form a molecular halogen; and

recycling the molecular halogen as the halogenating agent to react with the reactant hydrocarbon.

* * * * *